Index to Volume 30

*Author index**

A

Aarts LP (*see* van Dongen et al). 1999;30:293-300
Aarts NJ (*see* Schurink et al). 1999;30:658-67
Abbott CR (*see* Husain et al). 1999;30:269-76
Abe K (*see* Sakurai et al). 1999;30:542-50
Abramowitz HB (*see* Shemesh et al). 1999;30:193-5 (Case rep.)
Adam DJ, Ludlam CA, Ruckley CV, Bradbury AW. Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms. 1999;30:641-50
Adam DJ, Milne AA, Evans SM, Roulston JE, Lee AJ, Ruckley CV, Bradbury AW. Serum amylase isoenzymes in patients undergoing operation for ruptured and non-ruptured abdominal aortic aneurysm. 1999;30:229-35
Adam DJ, Mohan IV, Stuart WP, Bain M, Bradbury AW. Community and hospital outcome from ruptured abdominal aortic aneurysm within the catchment area of a regional vascular surgical service. 1999;30:922-8
Adiseshiah M. Regarding "AneuRx stent graft versus open surgical repair of abdominal aortic aneurysms: multicenter prospective clinical trial." 1999;30:580 (Letter)
Ahn SS (*see* Quiñones-Baldrich et al). 1999;30:59-67
Akbari CM, LoGerfo FW. Diabetes and peripheral vascular disease. 1999;30:373-84
Akbari CM (*see* Berceli et al). 1999;30:499-508
Algra A (*see* Simons et al). 1999;30:519-25
Algra A (*see* Tangelder et al). 1999;30:701-9
Allard L, Cloutier G. Power Doppler ultrasound scan imaging of the level of red blood cell aggregation: an in vitro study. 1999;30:157-68
Alvarez J Jr (*see* Simon et al). 1999;30:950-3 (Case rep.)
Alving BM (*see* Jackson et al). 1999;30:461-7
Amit V (*see* Sanchez et al). 1999;30:907-14
Anderson KM (*see* Blebea et al). 1999;30:821-9
Anderson M (*see* Lindsay et al). 1999;30:219-28
Antonini M (*see* Sbarigia et al). 1999;30:131-8
Arca MJ, Gagner M, Heniford BT, Sullivan TM, Beven EG. Splenic artery aneurysms: methods of laparoscopic repair. 1999;30:184-8 (Case rep.)
Arcelus JI (*see* Caprini et al). 1999;30:805-12
Arcelus JI (*see* Caprini et al). 1999;30:813-20
Archie JP Jr. Axillary to carotid artery bypass for symptomatic severe common carotid artery occlusive disease. 1999;30:1106-12
Archie JP Jr. Lack of precision of duplex scan velocity measurements can falsely elevate rates of progression of carotid stenosis. 1999;30:385-6 (Letter)
Aretz HT (*see* Tseng et al). 1999;30:565-8 (Case rep.)
Arora S (*see* Carmody et al). 1999;30:1045-51
Arora S (*see* Carmody et al). 1999;30:1121-8
Arreba E (*see* Gonzalez-Fajardo et al). 1999;30:283-92

*July, pp. 1-202; August, pp. 203-390; September, pp. 391-586; October, pp. 587-774; November, pp. 775-962; December, pp 963-1192.

Aschwanden M, Jeanneret C, Gehrig A, Jaeger KA. The value of rapid D-dimer testing combined with structured clinical evaluation for the diagnosis of deep vein thrombosis. 1999;30:929-35
Astore D (*see* Melissano et al). 1999;30:355-6 (Case rep.)
Atkins CP (*see* Kirby et al). 1999;30:400-6
Atnip RG (*see* Blebea et al). 1999;30:821-9
Avena R (*see* Carmody et al). 1999;30:1045-51
Avena R (*see* Carmody et al). 1999;30:1121-8
Avino AJ (*see* Roth et al). 1999;30:453-60

B

Back MR (*see* Roth et al). 1999;30:453-60
Bai HZ (*see* Zhang et al). 1999;30:169-83
Bain M (*see* Adam et al). 1999;30:922-8
Baker WH (*see* Labropoulos et al). 1999;30:787-93
Bandyk DF (*see* Roth et al). 1999;30:453-60
Barnard MR (*see* Powell et al). 1999;30:844-53
Barrie WW (*see* Hayes et al). 1999;30:92-8
Barros FS (*see* Sandri et al). 1999;30:867-75
Barzi F (*see* Cao et al). 1999;30:651-7
Baughman R (*see* Salartash et al). 1999;30:526-32
Bavaria JE (*see* Velazquez et al). 1999;30:996-1003
Becker GJ (*see* Simon et al). 1999;30:950-3 (Case rep.)
Becquemin JP, Lapie V, Favre JP, Rousseau H. Mid-term results of a second generation bifurcated endovascular graft for abdominal aortic aneurysm repair: the French Vanguard trial. 1999;30:209-18
Beebe HG. Comment regarding "Intraoperative stenting of the internal carotid artery after successful eversion endarterectomy." 1999;30:372
Belardi P, Lucertini G. Regarding "Peripheral aneurysms and arteriomegaly: is there a familial pattern?". 1999;30:581 (Letter)
Bell PR (*see* Hayes et al). 1999;30:92-8
Bell PR (*see* McCarthy et al). 1999;30:261-8
Bell PRF. Regarding "Percutaneous transluminal angioplasty for the treatment of limb threatening ischemia: do the results justify an attempt before bypass grafting?". 1999;30:386-7 (Letter)
Bendick PJ (*see* Buhs et al). 1999;830-5
Benenati JF (*see* Simon et al). 1999;30:950-3 (Case rep.)
Benjamin ME, Cohn, EJ Jr, Purtill WA, Hanna DJ, Lilly MP, Flinn WR. Arterial reconstruction with delap leg veins for the treatment of mycotic aneurysms. 1999;30:1004-15
Bennett M (*see* Puttaswamy et al). 1999;30:1158-61
Berceli SA, Chan AK, Pomposelli FB Jr, Gibbons GW, Campbell DR, Akbari CM, Brophy DT, LoGerfo FW. Efficacy of dorsal pedal artery bypass in limb salvage for ischemic heel ulcers. 1999;30:499-508
Bergan JJ (*see* Takase et al). 1999;30:148-56
Berguer R. Suboccipital approach to the distal vertebral artery. 1999;30:344-9 (Tech. notes)
Berman SS (*see* Dal Ponte et al). 1999;30:325-33
Beven EG (*see* Arca et al). 1999;30:184-8 (Case rep.)
Beven EG (*see* Tretter et al). 1999;30:618-31
Bhirangi K (*see* Lawrence et al). 1999;30:632-40
Bhirangi K (*see* Treiman et al). 1999;30:16-25
Bhirangi K (*see* Treiman et al). 1999;30:68-75
Bhirangi L (*see* Lawrence et al). 1999;30:632-40
Bhola C (*see* Kalman et al).) 1999;30:727-33
Blankensteijn JD (*see* Wever and Blankensteijn). 1999;30:1163-4 (Letter)

Blebea J, Choudry R. Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications. 1999;30:350-4 (Tech. notes)
Blebea J, Wilson E, Waybil P, Neumyer MN, Blebea JS, Anderson KM, Atnip RG. Deep venous thrombosis after percutaneous insertion of vena caval filters. 1999;30:821-9
Blebea JS (*see* Blebea et al). 1999;30:821-9
Bojic M N (*see* Radak et al). 1999;30:245-51
Bowers SP (*see* Nehler et al). 1999;30:509-18
Bowersox SS (*see* Burns et al). 1999;30:334-43
Bozeman EH (*see* van Dongen et al). 1999;30:293-300
Bradbury AW (*see* Adam et al). 1999;30:229-35
Bradbury AW (*see* Adam et al). 1999;30:641-50
Bradbury AW (*see* Adam et al). 1999;30:922-8
Bradbury AW (*see* Brittenden et al). 1999;30:946-9 (Case rep.)
Bradshaw LA (*see* Seidel et al). 1999;30:309-19
Brady E (*see* Ohki et al). 1999;30:1034-44
Brewster DC (*see* Tseng et al). 1999;30:565-8 (Case rep.)
Brindle NP (*see* McCarthy et al). 1999;30:261-8
Brittenden J, McBride K, McInnes G, Gillespie IN, Bradbury AW. The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta. 1999;30:946-9 (Case rep.)
Brock RW (*see* Lawlor et al). 1999;30:533-41
Brophy DT (*see* Berceli et al). 1999;30:499-508
Brown GA (*see* Kirby et al). 1999;30:400-6
Brudick MD (see Wakefield et al). 1999;30:885-93
Buckman J (*see* Labropoulos et al). 1999;30:787-93
Buhs CL, Bendick PJ, Glover JL. The effect of graded compression elastic stockings on the lower leg venous system during daily activity. 1999;30:830-5
Bui F (*see* Verlato et al). 1999;30:1113-5
Burnan KG (*see* Humphries et al). 1999;30:894-900
Burnand K (*see* Quarmby et al). 1999;30:139-47
Burns LH, Jin Z. Bowersox SS. The neuroprotective effects of intrathecal administration of the selective N-type calcium channel blocker ziconotide in a rat model of spinal ischemia. 1999;30:334-43
Burt RW (*see* Cikrit et al). 1999;30:599-605
Bush HL Jr (*see* Patel et al). 1999;30:1024-33
Busschbach JJV, McDonnell J, Tangelder MJD, Eikelboom BC, Buskens E, Algra A, Lawson JA. EuroQol values for economic modeling quality of life after infrainguinal bypass grafting surgery: a rectification. 1999;30:1162-3 (Letter)
Buth J (*see* Harris and Buth). 1999;30:767-8 (Letter)

C

Calligaro KD (*see* Dougherty et al). 1999;30:1016-23
Cambria RP (*see* Tseng et al). 1999;30:565-8 (Case rep.)
Campbell DR (*see* Berceli et al). 1999;30:499-508
Camporese PG (*see* Verlato et al). 1999;30:1113-5
Cao P, Zannetti S, Parlani G, Verzini F, Caporali S, Spaccatini A, Barzi F. Epidural anesthesia reduces length of hospitalization after endoluminal abdominal aortic aneurysm repair. 1999;30:651-7
Caporali S (*see* Cao et al). 1999;30:651-7
Caprini JA, Arcelus JI, Motykie J, Kudrna JC, Mokhtee D, Reyna JJ. The influence of oral anticoagulation therapy on deep vein thrombosis rates four weeks after total hip replacement. 1999;30:813-20
Caprini JA, Arcelus JI, Reyna JJ, Motykie GD, Mohktee D, Zebala LP, Cohen EB. Deep vein thrombosis outcome and the level of oral anticoagulation therapy. 1999;30:805-12
Carlin RE (*see* Marston et al). 1999;30:491-8
Carlton LC (*see* Seeger et al). 1999;30:427-35
Carmel G (*see* Paderg et al). 1999;30:836-43
Carmody BJ, Arora S, Avena R, Curry KM, Simpkins J, Cosby K, Sidawy A. Accelerated carotid artery disease after high-dose head and neck radiotherapy: is there a role for routine carotid duplex surveillance? 1999;30:1045-51
Carmody BJ, Arora S, Avena R, Cosby K, Sidawy AN. Folic acid inhibits homocysteine-induced proliferation of human arterial smooth muscle cells. 1999;30:1121-8
Carpenter JP (*see* Velazquez et al). 1999;30:996-1003
Carsten CG 3rd (*see* Langan et al). 1999;30:484-90
Cartier R (*see* Elkouri et al). 1999;30:679-92
Casey Wj 3rd (*see* Langan et al). 1999;30:484-90
Cassano AD (*see* Makhoul et al). 1999;30:569-72
Castrodeza J (*see* Gonzalez-Fajardo et al). 1999;30:283-92
Caswell D (*see* Quiñones-Baldrich et al). 1999;30:59-67
Cederholm-Williams S (*see* Quarmby et al). 1999;30:139-47
Cerveira JJ, Halpern VJ, Faust G, Cohen JR. Minimal incision abdominal aortic aneurysm repair. 1999;30:977-84
Chaikof EL. Developing a discriminant noninvasive test for early mesenteric ischemia: measuring the basic rhythms of life. 1999;30:367-9
Chan AK (*see* Berceli et al). 1999;30:499-508
Chang BB (*see* Darling et al). 1999;30:968-76
Chang CH (*see* Kao et al). 1999;30:561-4 (Case rep.)
Chang JP (*see* Kao et al). 1999;30:561-4 (Case rep.)
Chaufour X, Deva AK, Vickery K, Zou J, Kumaradeva P, White GH, Cossart YE. Evaluation of disinfection and sterilization of reusable angioscopes with the duck hepatitis B model. 1999;30:277-82
Chiesa R (*see* Melissano et al). 1999;30:355-6 (Case rep.)
Cikrit DF, Dalsing MC, Lalka SG, Burt RW, Sawchuk AP, Solooki BA. The value of acetazolamide single photon emission computed tomography scans in the preoperative evaluation of asymptomatic critical carotid stenosis. 1999;30:599-605
Cinà CS, Clase CM, Haynes BR. Refining the indications for carotid endarterectomy in patients with symptomatic carotid stenosis: a systematic review. 1999;30:606-17
Ciocca RG (*see* Feuer et al). 1999;30:1146-9
Clagett GP E (*see* Valentine et al). 1999;30:436-45
Clark MD (*see* Kirby et al). 1999;30:400-6
Clase CM (*see* Cinà et al). 1999;30:606-17
Clasen A (*see* von Fritschen et al). 1999;30:1090-8
Cloutier G (*see* Allard and Cloutier). 1999;30:157-68
Cohen EB (*see* Caprini et al). 1999;30:805-12
Cohen JR (*see* Cerveira et al). 1999;30:977-84
Cohn EJ Jr (*see* Benjamin et al). 1999;30:1004-15
Collins M (*see* Quarmby et al). 1999;30:139-47
Colombo A (*see* Melissano et al). 1999;30:355-6 (Case rep.)
Connors JP (*see* Farber et al). 1999;30:752-60
Cosby K (*see* Carmody et al). 1999;30:1045-51
Cosby K (*see* Carmody et al). 1999;30:1121-8
Cossart YE (*see* Chaufour et al). 1999;30:277-82
Coudry R (*see* Blebea and Coudry). 1999;30:350-4 (Tech. notes)
Craven TE (*see* Wong et al). 1999;30:468-83
Cronenwett JL (*see* Farber et al). 1999;30:752-60
Cuddeback JK (*see* Huber et al). 1999;30:417-26
Curry KM (*see* Carmody et al). 1999;30:1045-51
Cynamon J (*see* Sanchez et al). 1999;30:907-14

D

da Silva ES, Tozzi FT, Otochi JP, de Tolosa EMC, Neves CRB, Fortes F, Paulo S. Aortoesophageal fistula caused by aneurysm of the thoracic aorta: successful surgical treatment, case report and literature review. 1999;30:1150-7

Dal Ponte DB, Berman SS, Patula VB, Kleinert LB, Williams SK. Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips. 1999;30:325-33
Dalman RL (*see* Hill et al). 1999;30:26-35
Dalsing MC, Raju S, Wakefield TW, Taheri S. A multicenter, phase I evaluation of cryopreserved venous valve allografts for the treatment of chronic deep venous insufficiency. 1999;30:854-66
Dalsing MC (*see* Cikrit et al). 1999;30:599-605
Dalsing MC (*see* Sawchuk et al). 1999;30:761-4
Dame DA (*see* Huber et al). 1999;30:417-26
Dardik A, Lin JW, Gordon TA, Williams GM, Perler BA. Results of elective abdominal aortic aneurysm repair in the 1990s: a population-based analysis of 2,335 cases. 1999;30:985-95
DarioVizza C (*see* Sbarigia et al). 1999;30:131-8
Darling RC III, Ozsvath K, Chang BB, Kreienberg PB, Paty PSK, Lloyd WE, Saleem A, Shah DM. The incidence, natural history, and outcome of secondary intervention for persistent collateral flow in the excluded abdominal aortic aneurysm. 1999;30:968-76
Daskalopoulou SE (*see* Lennox et al). 1999;30:794-804
Davies AH (*see* Golledge et al). 1999;30:122-30
Davies AH (*see* Smith et al). 1999;30:710-9
Dawson DL (*see* Ihnat et al). 1999;30:8-15
Day NE (*see* Wilmink et al). 1999;30:203-8
Day NE (*see* Wilmink et al). 1999;30:1099-105
de Boer A (*see* van Dongen et al). 1999;30:293-300
de Tolosa EMC (*see* da Silva et al). 1999;30:1150-7
Dean RH (*see* Wong et al). 1999;30:468-83
DeFouw DO (*see* Pappas et al). 1999;30:1129-45
Defraigne JO, Vazquez C, Limet R. Crossover iliofemoral bypass grafting for treatment of unilateral iliac atherosclerotic disease. 1999;30:693-700
Deitch JS, Plonk GW, Peacock JE Jr, Hansen KJ, Ligush J Jr. Cryptococcal aortitis presenting as a ruptured mycotic abdominal aortic aneurysm. 1999;30:189-92 (Case rep.)
Deitch JS Jr (*see* Patel et al). 1999;30:1024-33
Delis KT (*see* Lennox et al). 1999;30:794-804
DeMaioribus CA (*see* Ihnat et al). 1999;30:8-15
Demers P (*see* Elkouri et al). 1999;30:679-92
Deva AK (*see* Chaufour et al). 1999;30:277-82
Dhanjil S (*see* Szendro et al). 1999;30:357-62 (Case rep.)
Dorsay DA (*see* Samson et al). 1999;30:446-52
Dougherty MJ, Calligaro KD, Schindler N, Raviola CA, Ntoso A. Endovascular versus surgical treatment for thrombosed hemodialysis grafts: a prospective, randomized study. 1999;30:1016-23
Duncan JM (*see* El-Sabrout and Duncan). 1999;30:583-4 (Letter reply)

E

Edwards JM (*see* McLafferty et al). 1999;30:1-7
Edwards JM (*see* Soot et al). 1999;30:84-91
Edwards JM (*see* Yeager et al). 1999;30:76-83
Edwards WH Jr (see Treiman et al). 1999;30:68-75
Ehrenfeld WK (*see* Schneider et al). 1999;30:51-8
Eikelboom BC (*see* Ho et al). 1999;30:106-13
Eikelboom BC (*see* Simons et al). 1999;30:519-25
Eikelboom BC (*see* Tangelder et al). 1999;30:701-9
Eikelboom BC (*see* Visser et al). 1999;30:252-60
El-Sabrout RA, Duncan JM. Regarding "AneuRx stent graft versus open surgical repair of abdominal aortic aneurysms: multicenter prospective clinical trial." 1999;30:583-4 (Letter reply)
Elkouri S, Hudon G, Demers P, Lemarbre L, Cartier R. Early and long-term results of percutaneous transluminal angioplasty of the lower abdominal aorta. 1999;30:679-92
Ellis M (*see* Golledge et al). 1999;30:122-30
Evans SM (*see* Adam et al). 1999;30:229-35

F

Fabiani JN (*see* Zegdi et al). 1999;30:320-4
Fabre O (*see* Zegdi et al). 1999;30:320-4
Farber A, Connors JP, Friedlander RM, Wagner RJ, Powell RJ, Cronenwett JL. A specific inhibitor of apoptosis decreases tissue injury after intestinal ischemia-reperfusion in mice. 1999;30:752-60
Farber MA (*see* Marston et al). 1999;30:491-8
Faust G (*see* Cerveira et al). 1999;30:977-84
Favre JP (*see* Becquemin et al). 1999;30:209-18
Fedele F (*see* Sbarigia et al). 1999;30:131-8
Ferris BL (*see* McLafferty et al). 1999;30:1-7
Feuer DS, Ciocca RG, Nackman GN, Siegel RL, Graham AM. Endovascular management of ureteroarterial fistula. 1999;30:1146-9
Fiala LA (*see* Jackson et al). 1999;30:461-7
Fields CE (*see* Makhoul et al). 1999;30:569-72
Filliung DR (*see* Labropoulos et al). 1999;30:787-93
Fiorani B (*see* Sbarigia et al). 1999;30:131-8
Fiorani P (*see* Sbarigia et al). 1999;30:131-8
Flinn WR. Regarding "Assessment of ocular perfusion after carotid endarterectomy with color-flow duplex scanning." 1999;30:960 (Letter reply)
Flinn WR (*see* Benjamin et al). 1999;30:1004-15
Flynn TC K (*see* Huber et al). 1999;30:417-26
Flynn TC (*see* Seeger et al). 1999;30:427-35
Fortes F (*see* da Silva et al). 1999;30:1150-7
Frawley E (*see* Puttaswamy et al). 1999;30:1158-61
Friedlander RM (*see* Farber et al). 1999;30:752-60
Furman MI (*see* Powell et al). 1999;30:844-53

G

Gagner M (*see* Arca et al). 1999;30:184-8 (Case rep.)
Galst SW (*see* Treiman et al). 1999;30:68-75
Garner C (*see* Quiñones-Baldrich et al). 1999;30:59-67
Garratt AM (*see* Smith et al). 1999;30:710-9
Gazak C (*see* Lawrence et al). 1999;30:632-40
Gazak CE (*see* Treiman et al). 1999;30:16-25
Gee W. Regarding "Assessment of ocular perfusion after carotid endarterectomy with color-flow duplex scanning." 1999;30:960 (Letter)
Gehrig A (*see* Aschwander etl al). 1999;30:929-35
Gelabert HA (*see* Quiñones-Baldrich et al). 1999;30:59-67
Gentile AT (*see* Ihnat et al). 1999;30:8-15
Gibbons GW (*see* Berceli et al). 1999;30:499-508
Gillespie DL (*see* Jackson et al). 1999;30:461-7
Gillespie IN (*see* Brittenden et al). 1999;30:946-9 (Case rep.)
Giudiceandrea A (*see* Tai et al). 1999;30:936-45
Gleave ME (*see* Ting et al). 1999;30:363-6 (Case rep.)
Glover JL (*see* Buhs et al). 1999;830-5
Gloviczki P (*see* Nemcova et al). 1999;30:876-84
Goff JM (*see* Jackson et al). 1999;30:461-7
Goines DR (*see* Ouriel et al). 1999;30:1060-6
Golledge J, Ellis M, Sabharwal T, Sikdar T, Davies AH, Greenhalgh RM. Selection of patients for carotid endarterectomy. 1999;30:122-30
Gomperts ED (*see* Jackson et al). 1999;30:461-7

Gonzalez-Fajardo JA, Arreba E, Castrodeza J, Perez JL, Fernandez L, Agundez I, Mateo AM, Carrera S, Gutierrez V, Vaquero C. Venographic comparison of subcutaneous low-molecular weight heparin with oral anticoagulant therapy in the long-term treatment of deep venous thrombosis. 1999;30:283-92
Gonze MD (*see* Salartash et al). 1999;30:526-32
Gordon TA (*see* Dardik et al). 1999;30:985-95
Gorti R (*see* Pappas et al). 1999;30:1129-45
Gough MJ (*see* Husain et al). 1999;30:269-76
Gough MJ (*see* Mushtaq et al). 1999;29:961 (Letter)
Graham AM (*see* Feuer et al). 1999;30:1146-9
Graham RM (*see* Langan et al). 1999;30:484-90
Green RM (*see* Illig et al). 1999;30:1067-76
Green RM (*see* Ouriel et al). 1999;30:1060-6
Greenberg RK. Regarding "Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization." 1999;30:772 (Letter reply)
Greenberg Rk (*see* Illig et al). 1999;30:1067-76
Greenberg RK (*see* Ouriel et al). 1999;30:1060-6
Greenhalgh RM (*see* Golledge et al). 1999;30:122-30
Greenhalgh RM (*see* Smith et al). 1999;30:710-9
Gregory T (*see* Pappas et al). 1999;30:1129-45
Grobbee DE (*see* Simons et al). 1999;30:519-25
Guest M (*see* Smith et al). 1999;30:710-9
Guiterrez V (*see* Gonzalez-Fajardo et al). 1999;30:283-92

H

Haas FJ (*see* van Dongen et al). 1999;30:293-300
Hagino RT (*see* Ihnat et al). 1999;30:8-15
Halpern VJ (*see* Cerveira et al). 1999;30:977-84
Hamilton G (*see* Tai et al). 1999;30:936-45
Hanna DJ (*see* Benjamin et al). 1999;30:1004-15
Hansen KH (*see* Wong et al). 1999;30:468-83
Hansen KJ (*see* Deitch et al). 1999;30:189-92 (Case rep.)
Hansson GK (*see* Hunter et al). 1999;30:36-49
Harris EJ Jr (*see* Hill et al). 1999;30:26-35
Harris PL, Buth J. Regarding "Problems with the dissemination of up-to-date information on the results of endograft repair for abdominal aortic aneurysm." 1999;30:767-8 (Letter)
Harrsi KA (*see* Lawlor et al). 1999;30:533-41
Haser PB (*see* Patel et al). 1999;30:1024-33
Hauptmann E (*see* Ludwig et al). 1999;30:551-4 (Case rep.)
Hayashi T (*see* Sakurai et al). 1999;30:542-50
Hayes PD, Nasim A, London NJ, Sayers RD, Barrie WW, Bell PR, Naylor AR. In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998). 1999;30:92-8
Haynes BR (*see* Cinàet al). 1999;30:606-17
Heise M, Kruger U, Settmacher U, Sklenar S, Neuhaus P, Scholz H. A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency. 1999;30:301-8
Henderson AM (*see* Hunter et al). 1999;30:36-49
Heniford BT (*see* Arca et al). 1999;30:184-8 (Case rep.)
Henke PK (*see* Wakefield et al). 1999;30:885-93
Hertzer NR (*see* Tretter et al). 1999;30:618-31
Hestlow T (*see* Jackson et al). 1999;30:461-7
Hiatt WR (*see* Nehler et al). 1999;30:509-18
Hill BB, Olcott C, Dalman RL, Harris EJ Jr, Zarins CK. Reoperation for carotid stenosis is as safe as primary carotid endarterectomy. 1999;30:26-35
Hirose H, Tilson MD. Negative genetic risk factor for abdominal aortic aneurysm: ELK-DQ3, a Japanese study. 1999;30:959 (Letter)
Ho GH, van Buren PA, Moll FL, van der Bom JG, Eikelboom BC. Incidence, time-of-onset, and anatomical distribution of recurrent stenoses after remote endarterectomy in superficial femoral artery occlusive disease. 1999;30:106-13
Hobson RW II (*see* Simonian et al). 1999;30:1116-20
Hobson RW (*see* Paderg et al). 1999;30:836-43
Hollier LH (*see* Kaplan et al). 1999;30:406-17
Hollier LH (*see* Parsons et al). 1999;30:915-21
Homer-Vanniasinkam S (*see* Mushtaq et al). 1999;29:961 (Letter)
Hsiang YN (*see* Ting et al). 1999;30:363-6 (Case rep.)
Hubbard CS (*see* Wilmink et al). 1999;30:203-8
Huber TS, Wang JG, Wheeler KG, Cuddeback JK, Dame DA, Ozaki CK, Flynn TC, Seeger JM. Impact of race on the treatment for peripheral arterial occlusive disease. 1999;30:417-26
Huber TS (*see* Seeger et al). 1999;30:427-35
Hudon G (*see* Elkouri et al). 1999;30:679-92
Hughes JD (*see* Ihnat et al). 1999;30:8-15
Humphries J, McGuinness CL, Smith A, Waltham MW, Poston R, Burnan KG. Monocyte chemotactic protein-1 (MCP-1) accelerates the organization and resolution of venous thrombi. 1999;30:894-900
Hunter GC, Henderson AM, Westerband A, Kobayashi H, Suzuki F, Yan ZQ, Sirsjo A, Putnam CW, Hansson GK. The contribution of inducible nitric oxide and cytomegalovirus to the stability of complex carotid plaque. 1999;30:36-49
Husain T, Abbott CR, Scott DJ, Gough MJ. Macrophage accumulation within the cap of carotid atherosclerotic plaques is associated with the onset of cerebral ischemic events. 1999;30:269-76

I

Ihnat DM, Mills JL, Dawson DL, Hughes JD, Hagino RT, DeMaioribus CA, Gentile AT, Westerband A. The correlation of early flow disturbances with the development of infrainguinal graft stenosis: a 10-year study of 341 autogenous vein grafts. 1999;30:8-15
Illig KA, Shortell CK, Ouriel K, Greenberg RK, Waldman D, Green RM. Photoplethysmography (PPG) and calf muscle pump function following subfascial endoscopic perforator ligation (SEPS). 1999;30:1067-76
Itoyama Y(*see* Sakurai et al). 1999;30:542-50
Iyer SS (*see* Ohki et al). 1999;30:1034-44

J

Jackson MR, Gillespie DL, Longenecker EG, Goff JM, Fiala LA, O'Donnell SD, Gomperts ED, Navalta LA, Hestlow T, Alving BM. Hemostatic efficacy of fibrin sealant (human) on expanded poly-tetrafluoroethylene carotid patch angioplasty: a randomized clinical trial. 1999;30:461-7
Jackson MR (*see* Valentine et al). 1999;30:436-45
Jacobs MJ (*see* Ubbink et al). 1999;30:114-21
Jacobs MJ (*see* Ubbink et al). 1999;30:236-44
Jacques C (*see* Sandri et al). 1999;30:867-75
Jaeger KA (*see* Aschwander etl al). 1999;30:929-35
Jamil Z Jr (*see* Simonian et al). 1999;30:1116-20
Jarrett F. Education and brotherhood. 1999;30:963-7
Jeanneret C (*see* Aschwander etl al). 1999;30:929-35
Jin Z (*see* Burns et al). 1999;30:334-43
Johnson BL (*see* Roth et al). 1999;30:453-60
Johnson WC, Lee KK. Comparative evaluation of externally supported Dacron and polytetrafluoroethylene prosthetic bypasses for femorofemoral and axillofemoral arterial reconstructions. 1999;30:1077-83

Johnston KW, Rutherford RB. Disclosure of competition of interest. 1999;30:200-2 (Editorial)
Johnston W (*see* Kalman and Johnston). 1999;30:961 (Letter reply)
Jones B (*see* Lawrence et al). 1999;30:632-40
Jones DN (*see* Nehler et al). 1999;30:509-18
Jones L (*see* McCarthy et al). 1999;30:261-8

K

Kadell AM (*see* Wakefield et al). 1999;30:885-93
Kadoba K (*see* Zhang et al). 1999;30:169-83
Kalman PG, Johnston W. Regarding "The value of late computed tomographic scanning in identification of vascular abnormalities after abdominal aortic aneurysm repair." 1999;30:961 (Letter reply)
Kalman PG, Pope M, Bhola C, Richardson R, Sniderman KW. A practical approach to vascular access for hemodialysis and predictors of success. 1999;30:727-33
Kao CL, Chang JP, Chang CH. Tuberculous pseudoaneurysm of the femoral artery: a case report. 1999;30:561-4 (Case rep.)
Kaplan DB, Kwon CC, Marin ML, Hollier LH. Endovascular repair of abdominal aortic aneurysms in patients with congenital renal vascular anomalies. 1999;30:407-16
Kashyap VS (*see* Quinones-Baldrich et al). 1999;30:555-60 (Case rep.)
Katzen BT (*see* Simon et al). 1999;30:950-3 (Case rep.)
Keagy BA (*see* Marston et al). 1999;30:491-8
Kent KC (*see* Patel et al). 1999;30:1024-33
Kirby LB, Rosenthal D, Atkins CP, Brown GA, Matsuura JH, Clark MD, Pallos L. Comparison between the transabdominal and retroperitoneal approaches for aortic reconstruction in patients at high risk. 1999;30:400-6
Kirkman TR (*see* Kohler and Kirkman). 1999;30:744-51
Kleinert LB (*see* Dal Ponte et al). 1999;30:325-33
Kniemeyer HW (*see* Reber et al). 1999;30:1084-9
Kobayashi H (*see* Hunter et al). 1999;30:36-49
Kohler TR, Kirkman TR. Dialysis access failure: a sheep model of rapid stenosis. 1999;30:744-51
Kolvenbach R, Ramadan H, Schwierz E. Redone endoscopic perforator surgery: feasibility and failure analysis. 1999;30:720-6
Korn P (*see* Patel et al). 1999;30:1024-33
Kortmann H (*see* von Fritschen et al). 1999;30:1090-8
Kraiss LW (*see* Treiman et al). 1999;30:68-75
Krajewski LP (*see* Tretter et al). 1999;30:618-31
Kreienberg PB (*see* Darling et al). 1999;30:968-76
Kruger U (*see* Heise et al). 1999;30:301-8
Krupski WC (*see* Nehler et al). 1999;30:509-18
Kudrna JC (*see* Caprini et al). 1999;30:813-20
Kulman HI (*see* Samson et al). 1999;30:446-52
Kumaradeva P (*see* Chaufour et al). 1999;30:277-82
Kwon CC (*see* Kaplan et al). 1999;30:406-17

L

Labropoulos N, Webb KM, Mansour A, Filliung DR, Size GP, Buckman J, Baker WH. Patterns and distribution of isolated calf deep vein thrombosis. 1999;30:787-93
Ladipo JK (*see* Seidel et al). 1999;30:309-19
Lajos P (*see* Zegdi et al). 1999;30:320-4
Lalka SG (*see* Cikrit et al). 1999;30:599-605
Landry GJ (*see* McLafferty et al). 1999;30:1-7
Langan EM 3rd, Miller RS, Casey WJ 3rd, Carsten CG 3rd, Graham RM, Taylor SM. Prophylactic inferior vena cava filters in trauma patients at high risk: follow-up examination and risk/benefit assessment. 1999;30:484-90
Lapie V (*see* Becquemin et al). 1999;30:209-18
Lawlor DK, Brock RW, Harris KA, Potter RF. Cytokines contribute to early hepatic parenchymal injury and microvascular dysfunction after bilateral hindlimb ischemia. 1999;30:533-41
Lawrence PF, Gazak C, Bhirangi L, Jones B, Bhirangi K, Oderich G, Treiman G. The epidemiology of surgically repaired aneurysms in the United States. 1999;30:632-40
Lawrence PF. Regarding "AneuRx stent graft versus open surgical repair of abdominal aortic pattern?". 1999;30:581 (Letter reply)
Lawrence PF (*see* Treiman et al). 1999;30:16-25
Lawrence PF (*see* Treiman et al). 1999;30:68-75
Lawson JA (*see* Tangelder et al). 1999;30:701-9
Lee AJ (*see* Adam et al). 1999;30:229-35
Lee KK (*see* Johnson and Lee). 1999;30:1077-83
Lehotay DC (*see* Lindsay et al). 1999;30:219-28
Lemarbre L (*see* Elkouri et al). 1999;30:679-92
Lennox AF, Delis KT, Serunkuma S, Zarka ZA, Daskalopoulou SE, Nicolaides. Combination of a clinical risk assessment score and rapid whole blood D-dimer testing in the diagnosis of deep vein thrombosis in symptomatic patients. 1999;30:794-804
Lennox AF (*see* Szendro et al). 1999;30:357-62 (Case rep.)
Leone-Bay A (*see* Salartash et al). 1999;30:526-32
Levien LJ, Veller MG. Popliteal artery entrapment syndrome: more common than previously recognized. 1999;30:587-98
Ligush J Jr. Regarding "Can duplex scan arterial mapping replace contrast arteriography as the test of choice before infrainguinal revascularization?". 1999;30:770 (Letter)
Ligush J Jr (*see* Deitch et al). 1999;30:189-92 (Case rep.)
Ligush J Jr (*see* Wong et al). 1999;30:468-83
Lilly MP (*see* Benjamin et al). 1999;30:1004-15
Limet R (*see* Defraigne et al). 1999;30:693-700
Lin JW (*see* Dardik et al). 1999;30:985-95
Lindsay TF, Luo XP, Lehotay DC, Rubin BB, Anderson M, Walker PM, Romaschin AD. Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products. 1999;30:219-28
Linn MJ (*see* Wakefield et al). 1999;30:885-93
Littooy Fn (*see* Woloson et al). 1999;30:954-6 (Case rep.)
Lloyd WE (*see* Darling et al). 1999;30:968-76
Loftus IM (*see* McCarthy et al). 1999;30:261-8
LoGerfo FW (*see* Akbari and LoGerfo). 1999;30:373-84
LoGerfor FW (*see* Berceli et al). 1999;30:499-508
London NJ (*see* Hayes et al). 1999;30:92-8
London NJ (*see* McCarthy et al). 1999;30:261-8
Longenecker EG (*see* Jackson et al). 1999;30:461-7
Lorenzi G. Regarding "Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization." 1999;30:771 (Letter)
Lucertini G (*see* Belardi and Lucertini). 1999;30:581 (Letter)
Ludlam CA (*see* Adam et al). 1999;30:641-50
Ludwig DJ, Hauptmann E, Rosoff L Jr, Neuzil D. Mesenteric and portal vein thrombosis in a young patient with protein S deficiency treated with urokinase via the superior mesenteric artery. 1999;30:551-4 (Case rep.)
Lundell A Nyborg K. Do residual arteriovenous fistulae after in situ saphenous vein bypass grafting influence patency? 1999;30:9[illegible]105
Luo XP (*see* Lindsay et al). 1999;30:219-28

M

Mabjeesh NJ (*see* Shemesh et al). 1999;30:193-5 (Case rep.)
Machleder HI (*see* Quiñones-Baldrich et al). 1999;30:59-67
Makhoul RG, Fields CE, Cassano AD. Nitric oxide and the vascular surgeon. 1999;30:569-72

Malzfeld E (*see* von Fritschen et al). 1999;30:1090-8
Maniker AH (*see* Paderg et al). 1999;30:836-43
Mansour A (*see* Labropoulos et al). 1999;30:787-93
Marian ML (*see* Kaplan et al). 1999;30:406-17
Marin ML (*see* Parsons et al). 1999;30:915-21
Maritti M (*see* Sbarigia et al). 1999;30:131-8
Markaroun MS (*see* Taylor et al). 1999;30:1052-9
Marston WA, Carlin RE, Passman MA, Farber MA, Keagy BA. Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency. 1999;30:491-8
Martini R (*see* Verlato et al). 1999;30:1113-5
Martinod E (*see* Zegdi et al). 1999;30:320-4
Marzola MC (*see* Verlato et al). 1999;30:1113-5
Mascha EJ (*see* Tretter et al). 1999;30:618-31
Massullo JM (*see* Ouriel et al). 1999;30:1060-6
Masuda J (*see* Zhang et al). 1999;30:169-83
Matsuda H (*see* Zhang et al). 1999;30:169-83
Matsuura JH (*see* Kirby et al). 1999;30:400-6
Mavor AID (*see* Mushtaq et al). 1999;29:961 (Letter)
May J, Schulze K. Successful completion of endoluminal repair of an abdominal aortic aneurysm after intraoperative iatrogenic rupture of the aneurysm. 1999;30:901-6
McBride K (*see* Brittenden et al). 1999;30:946-9 (Case rep.)
McCarthy MJ, Loftus IM, Thompson MM, Jones L, London NJ, Bell PR, Naylor AR, Brindle NP. Angiogenesis and the atherosclerotic carotid plaque: an association between symptomatology and plaque morphology. 1999;30:261-8
McConnell DB (*see* Yeager et al). 1999;30:76-83
McDonnell J (*see* Busschbach et al). 1999;30:1162-3 (Letter)
McGuinness CL (*see* Humphries et al). 1999;30:894-900
McInnes G (*see* Brittenden et al). 1999;30:946-9 (Case rep.)
McIntyre KE (*see* Valentine et al). 1999;30:436-45
McLafferty RB, Edwards JM, Ferris BL, Moneta GL, Taylor LM Jr, Landry GJ, Porter JM. Raynaud's syndrome in workers who use vibrating pneumatic air knives. 1999;30:1-7
Melissano G, Chiesa R, Sheiban I, Colombo A, Astore D. Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy. 1999;30:355-6 (Case rep.)
Mendez MV, Raffetto JD, Phillips T, Menzoian JO, Park HY. The proliferative capacity of neonatal skin fibroblasts is reduced after exposure to venous ulcer wound fluid: a potential mechanism for senescence in venous ulcers. 1999;30:734-43
Menzoian JO (*see* Mendez et al). 1999;30:734-43
Messina LM (*see* Schneider et al). 1999;30:51-8
Meyers DD (*see* Wakefield et al). 1999;30:885-93
Michaels J (*see* Shackley et al). 1999;30:668-78
Michelson AD (*see* Powell et al). 1999;30:844-53
Miller RS (*see* Langan et al). 1999;30:484-90
Miller VM (*see* Nemcova et al). 1999;30:876-84
Mills JL (*see* Ihnat et al). 1999;30:8-15
Milne AA (*see* Adam et al). 1999;30:229-35
Modrall JG (*see* Valentine et al). 1999;30:436-45
Mohan IV (*see* Adam et al). 1999;30:922-8
Mokhtee D (*see* Caprini et al). 1999;30:805-12
Mokhtee D (*see* Caprini et al). 1999;30:813-20
Moll FL (*see* Ho et al). 1999;30:106-13
Moneta GL (*see* McLafferty et al). 1999;30:1-7
Moneta GL (*see* Soot et al). 1999;30:84-91
Moneta GL (*see* Yeager et al). 1999;30:76-83
Money SR (*see* Salartash et al). 1999;30:526-32
Moore WS (*see* Quiñones-Baldrich et al). 1999;30:59-67
Moriyama Y (*see* Toda et al). 1999;30:769 (Letter)
Morshuis WJ (*see* van Dongen et al). 1999;30:293-300
Motykie GD (*see* Caprini et al). 1999;30:805-12
Motykie J (*see* Caprini et al). 1999;30:813-20
Müller MF (*see* Reber et al). 1999;30:1084-9
Muluk S (*see* Taylor et al). 1999;30:1052-9
Mushtaq N, MB, Gough MJ, Homer-Vanniasinkam S, Mavor AID. Regarding "The value of late computed tomographic scanning in identification of vascular abnormalities after abdominal aortic aneurysm repair." 1999;30:961 (Letter)

N

Nackman GN (*see* Feuer et al). 1999;30:1146-9
Nasim A (*see* Hayes et al). 1999;30:92-8
Navalta LA (*see* Jackson et al). 1999;30:461-7
Naylor AR (*see* Hayes et al). 1999;30:92-8
Naylor AR (*see* McCarthy et al). 1999;30:261-8
Nehler MR, Whitehill TA, Bowers SP, Jones DN, Hiatt WR, Rutherford RB, Krupski WC. Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status. 1999;30:509-18
Nelken NA (*see* Schneider et al). 1999;30:51-8
Nemcova S, Gloviczki P, Rud KS, Miller VM. Cyclic nucleotides and production of prostanoids in human varicose veins. 1999;30:876-84
Neskovic AN (*see* Radak et al). 1999;30:245-51
Neuhaus P (*see* Heise et al). 1999;30:301-8
Neumyer MN (*see* Blebea et al). 1999;30:821-9
Neuzil D Jr (*see* Ludwig et al). 1999;30:551-4 (Case rep.)
Neves CRB (*see* da Silva et al). 1999;30:1150-7
Nghiem DD. Regarding "Right atrial bypass grafting for central venous obstruction associated with dialysis access: another treatment option." 1999;30:582-3 (Letter)
Nicolaides AN (*see* Szendro et al). 1999;30:357-62 (Case rep.)
Nicoloff AD (*see* Yeager et al). 1999;30:76-83
Ntoso A (*see* Dougherty et al). 1999;30:1016-23
Ntoso A(*see* Dougherty et al). 1999;30:1016-23
Nyborg K (*see* Lundell and Nyborg). 1999;30:99-105

O

Oderich G (*see* Lawrence et al). 1999;30:632-40
O'Donnell SD (*see* Jackson et al). 1999;30:461-7
O'Donnell T Jr. Lessons from the past guide the future: is history truly circular? 1999;30:775-86
Ogata J (*see* Zhang et al). 1999;30:169-83
O'Hara PJ (*see* Tretter et al). 1999;30:618-31
Ohki T, Roubin GS, Veith FJ, Iyer SS, Brady E. Efficacy of a filter device in the prevention of embolic events during carotid angioplasty and stenting: an ex vivo analysis. 1999;30:1034-44
Ohki T (*see* Sanchez et al). 1999;30:907-14
Olcott C (*see* Hill et al). 1999;30:26-35
Orosff L Jr (*see* Ludwig et al). 1999;30:551-4 (Case rep.)
Oskin TC (*see* Wong et al). 1999;30:468-83
Otochi JP (*see* da Silva et al). 1999;30:1150-7
Ouriel K, Greenberg RK, Green RM, Massullo JM, Goines DR. A volumetric index for the quantification of deep venous thrombosis. 1999;30:1060-6
Ouriel K. Regarding "Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms." 1999;30:765-6
Ouriel K. Urokinase and the US Food and Drug Administration. 1999;30:957-8 (Case rep.)
Ouriel K (*see* Illig et al). 1999;30:1067-76
Ozaki CK (*see* Huber et al). 1999;30:417-26
Ozaki CK (*see* Seeger et al). 1999;30:427-35
Ozvath K (*see* Darling et al). 1999;30:968-76

P

Padberg FT Jr, Maniker AH, Carmel G, RVT, Pappas PJ, Silva MB, Jr, Hobson RW. Sensory impairment: a feature of chronic venous insufficiency. 1999;30:836-43
Padberg FT Jr (*see* Pappas et al). 1999;30:1129-45
Padberg FT Jr (*see* Simonian et al). 1999;30:1116-20
Pallos L (*see* Kirby et al). 1999;30:400-6
Panetta TF (*see* Quinones-Baldrich et al). 1999;30:555-60 (Case rep.)
Pappas PJ, You R, Rameshwar P, Gorti R, DeFouw DO, Phillips CK, Padberg FT Jr, Silva MB Jr, Gregory T. Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor-β_1 gene expression and protein production. 1999;30:1129-45
Pappas PJ (*see* Paderg et al). 1999;30:836-43
Pappas PY (*see* Simonian et al). 1999;30:1116-20
Park HY (*see* Mendez et al). 1999;30:734-43
Parlani G (*see* Cao et al). 1999;30:651-7
Parsons RB (*see* Parsons et al). 1999;30:915-21
Parsons RE, Marin ML, Veith FJ, Parsons RB, Hollier LH. Midterm results of endovascular stented grafts for the treatment of isolated iliac artery aneurysms. 1999;30:915-21
Passman MA (*see* Marston et al). 1999;30:491-8
Patel AG (*see* Reber et al). 1999;30:1084-9
Patel ST, Haser PB, Korn P, Bush HL Jr., Deitch JS, Kent KC. Is carotid endarterectomy cost-effective in symptomatic patients with moderate (50% to 69%) stenosis? 1999;30:1024-33
Patula VB (*see* Dal Ponte et al). 1999;30:325-33
Paty PSK (*see* Darling et al). 1999;30:968-76
Paulo S (*see* da Silva et al). 1999;30:1150-7
Peacock JE Jr (*see* Deitch et al). 1999;30:189-92 (Case rep.)
Perler BA (*see* Dardik et al). 1999;30:985-95
Peyton BD (*see* Powell et al). 1999;30:844-53
Phillips CK (*see* Pappas et al). 1999;30:1129-45
Phillips T (*see* Mendez et al). 1999;30:734-43
Plonk GW Jr (*see* Wong et al). 1999;30:468-83
Plonk GW (*see* Deitch et al). 1999;30:189-92 (Case rep.)
Pochettino A (*see* Velazquez et al). 1999;30:996-1003
Pomposelli FB Jr (*see* Berceli et al). 1999;30:499-508
Pontes S (*see* Sandri et al). 1999;30:867-75
Pope M (*see* Kalman et al).) 1999;30:727-33
Popovic AD (*see* Radak et al). 1999;30:245-51
Porter JM (*see* McLafferty et al). 1999;30:1-7
Porter JM (*see* Yeager et al). 1999;30:76-83
Poston R (*see* Humphries et al). 1999;30:894-900
Potter RF (*see* Lawlor et al). 1999;30:533-41
Powell CC, Rohrer MJ, Barnard MR, Peyton BD, Furman MI, Michelson AD. Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation. 1999;30:844-53
Powell RJ (*see* Farber et al). 1999;30:752-60
Prandoni P (*see* Verlato et al). 1999;30:1113-5
Pretus HA (*see* Seeger et al). 1999;30:427-35
Prins MH (*see* Ubbink et al). 1999;30:236-44
Purtill WA (*see* Benjamin et al). 1999;30:1004-15
Putnam CW (*see* Hunter et al). 1999;30:36-49
Puttaswamy V, Bennett M, Frawley E. Hyperbaric oxygenation treatment of acute paraplegia following resection of a thoracoabdominal aortic aneurysm. 1999;30:1158-61

Q

Quarmby J, Smith A, Collins M, Cederholm-Williams S, Burnand K. A model of in vivo human venous thrombosis that confirms changes in the release of specific soluble cell adhesion molecules in experimental venous thrombogenesis. 1999;30:139-47
Quick CR (*see* Wilmink et al). 1999;30:203-8
Quick CRG (*see* Wilmink et al). 1999;30:1099-105
Quiñones-Baldrich WJ, Garner C, Caswell D, Ahn SS, Gelabert HA, Machleder HI, Moore WS. Endovascular, transperitoneal, and retroperitoneal abdominal aortic aneurysm repair: results and costs. 1999;30:59-67
Quinones-Baldrich WJ, Panetta TF, Vescera CL, Kashyap VS. Repair of type IV thoracoabdominal aneurysm with a combined endovascular and surgical approach. 1999;30:555-60 (Case rep.)

R

Radak D, Popovic AD, Radicevic S, Neskovic AN, Bojic M. Immediate reoperation for perioperative stroke after 2250 carotid endarterectomies: differences between intraoperative and early postoperative stroke. 1999;30:245-51
Radicevic S (*see* Radak et al). 1999;30:245-51
Rafetto JD (*see* Mendez et al). 1999;30:734-43
Raffetto JD (*see* Mendez et al). 1999;30:734-43
Raju S (*see* Dalsing et al). 1999;30:854-66
Ramadan H (*see* Kolvenbach et al). 1999;30:720-6
Rameshwar P (*see* Pappas et al). 1999;30:1129-45
Raviola CA (*see* Dougherty et al). 1999;30:1016-23
Reber PU, Patel AG, Stauffer E, Müller MF, Kniemeyer HW. Mural aortic thrombi—an important cause of peripheral embolization. 1999;30:1084-9
Reneman RS (*see* Ubbink et al). 1999;30:114-21
Reneman RS (*see* Ubbink et al). 1999;30:236-44
Reyna JJ (*see* Caprini et al). 1999;30:805-12
Reyna JJ (*see* Caprini et al). 1999;30:813-20
Rhee RY (*see* Taylor et al). 1999;30:1052-9
Richards WO (*see* Seidel et al). 1999;30:309-19
Richardson R (*see* Kalman et al).) 1999;30:727-33
Rigg J (*see* Sanchez et al). 1999;30:907-14
Riley V (*see* Roth et al). 1999;30:453-60
Rohrer MJ (*see* Powell et al). 1999;30:844-53
Rosenthal D. Spinal cord ischemia after abdominal aortic operation: is it preventable? 1999;30:391-9
Rosenthal D (*see* Kirby et al). 1999;30:400-6
Rosso F (*see* Verlato et al). 1999;30:1113-5
Roth SM, Back MR, Bandyk DF, Avino AJ, Riley V, Johnson BL. A rational algorithm for duplex scan surveillance after carotid endarterectomy. 1999;30:453-60
Roubin GS (*see* Ohki et al). 1999;30:1034-44
Roulston JE (*see* Adam et al). 1999;30:229-35
Rousseau H (see Becquemin et al). 1999;30:209-18
Rubin BB (*see* Lindsay et al). 1999;30:219-28
Ruckley CV (*see* Adam et al). 1999;30:229-35
Ruckley CV (*see* Adam et al). 1999;30:641-50
Rud KS (*see* Nemcova et al). 1999;30:876-84
Rutherford RB. Regarding "Problems with the dissemination of up-to-date information on the results of endograft repair for abdominal aortic aneurysm." 1999;30:768-9 (Letter reply)
Rutherford RB (*see* Johnston and Rutherford). 1999;30:200-2 (Editorial)
Rutherford RB (*see* Nehler et al). 1999;30:509-18

S

Sabetai MM (*see* Szendro et al). 1999;30:357-62 (Case rep.)
Sabharwal T (*see* Golledge et al). 1999;30:122-30
Safi HJ. Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision." 1999;30:196-7 (Reply)
Saimistarp G (*see* Verlato et al). 1999;30:1113-5

Sakurai M, Abe K, Hayashi T, Warita H, Setoguchi Y, Itoyama Y, Tabayashi K. In vivo adenovirus-mediated gene transfer and expression in ischemic rabbit spinal cord. 1999;30:542-50
Salacinksi JH (*see* Tai et al). 1999;30:936-45
Salartash K, Gonze MD, Leone-Bay A, Baughman R, Sternbergh WC 3rd, Money SR. Oral low-molecular weight heparin and delivery agent prevents jugular venous thrombosis in the rat. 1999;30:1999;30:526-32
Saleem A (*see* Darling et al). 1999;30:968-76
Salles-Cunha SX (*see* Sandri et al). 1999;30:867-75
Samit A (*see* Simonian et al). 1999;30:1116-20
Samson RH, Showalter DP, Yunis JP, Dorsay DA, Kulman HI, Silverman SR. Hemodynamically significant early recurrent carotid stenosis: an often self-limiting and self-reversing condition. 1999;30:446-52
Sanchez LA, Amit V, Ohki T, Suggs WD, Wain RA, Valladares J, Cynamon J, Rigg J, Veith FJ. Midterm experience with the endovascular treatment of isolated iliac aneurysms. 1999;30: 907-14
Sandri JL, Barros FS, Pontes S, Jacques C, Salles-Cunha SX. Diameter-reflux relationship in perforating veins of patients with varicose veins. 1999;30:867-75
Sarkar M (*see* Wakefield et al). 1999;30:885-93
Sawa Y (*see* Zhang et al). 1999;30:169-83
Sawchuk AP, Unthank JL, Dalsing MC. Drag reducing polymers may decrease atherosclerosis by increasing shear in areas normally exposed to low shear stress. 1999;30:761-4
Sawchuk AP (*see* Cikrit et al). 1999;30:599-605
Sayers RD (*see* Hayes et al). 1999;30:92-8
Sbarigia E, DarioVizza C, Antonini M, Speziale F, Maritti M, Fiorani B, Fedele F, Fiorani P. Locoregional versus general anesthesia in carotid surgery: is there an impact on perioperative myocardial ischemia? Results of a prospective monocentric randomized trial. 1999;30:131-8
Schepens MA (*see* van Dongen et al). 1999;30:293-300
Schindler N (*see* Dougherty et al). 1999;30:1016-23
Schmid-Schönbein G (*see* Takase et al). 1999;30:148-56
Schneider DB, Nelken NA, Messina LM, Ehrenfeld WK. Isolated inferior mesenteric artery revascularization for chronic visceral ischemia. 1999;30:51-8
Scholz H (*see* Heise et al). 1999;30:301-8
Schultze Kool LJ (*see* Schurink et al). 1999;30:658-67
Schulze K (*see* May and Schulze). 1999;30:901-6
Schurink GW, Aarts NJ, van Baalen JM, Schultze Kool LJ, van Bockel JH. Stent attachment site-related endoleakage after stent graft treatment: an in vitro study of the effects of graft size, stent type, and atherosclerotic wall changes. 1999;30:658-67
Schwierz E (*see* Kolvenbach et al). 1999;30:720-6
Scott DJ (*see* Husain et al). 1999;30:269-76
Seeger JM. Impact of race on the treatment for peripheral arterial occlusive disease. 1999;30:417-26
Seeger JM, Pretus HA, Carlton LC, Flynn TC, Ozaki CK, Huber TS. Fotential predictors of outcome in patients with tissue loss who undergo infrainguinal vein bypass grafting. 1999;30: 427-35
Seeger JM (*see* Huber et al). 1999;30:417-26
Seidel SA, Bradshaw LA, Ladipo JK, Wikswo JP Jr, Richards WO. Noninvasive detection of ischemic bowel. 1999;30:309-19
Seifalian AM (*see* Tai et al). 1999;30:936-45
Serunkumas S (*see* Lennox et al). 1999;30:794-804
Setoguchi Y(*see* Sakurai et al). 1999;30:542-50
Settmacher U (*see* Heise et al). 1999;30:301-8
Shackley P, Slack R, Michaels J. Costing vascular surgery: a review of current reporting practice. 1999;30:668-78
Shah DM (*see* Darling et al). 1999;30:968-76
Sheiban I (*see* Melissano et al). 1999;30:355-6 (Case rep.)
Shemesh D, Mabjeesh NJ, Abramowitz HB. Management of dialysis access-associated steal syndrome: use of intraoperative duplex ultrasound scanning for optimal flow reduction. 1999;30:193-5 (Case rep.)
Shirakura R (*see* Zhang et al). 1999;30:169-83
Shortell CK (*see* Illig et al). 1999;30:1067-76
Showalter DP (*see* Samson et al). 1999;30:446-52
Sidawy A (*see* Carmody et al). 1999;30:1045-51
Sidway AN (*see* Carmody et al). 1999;30:1121-8
Siegel RL (*see* Feuer et al). 1999;30:1146-9
Sikdar T (*see* Golledge et al). 1999;30:122-30
Silva MB Jr (*see* Paderg et al). 1999;30:836-43
Silva MB Jr (*see* Pappas et al). 1999;30:1129-45
Silva MB Jr (*see* Simonian et al). 1999;30:1116-20
Silverman SR (*see* Samson et al). 1999;30:446-52
Simon C, Alvarez J Jr, Becker GJ, Katzen BT, Benenati JF, Zemel G. May-Thurner syndrome in an adolescent: persistence despite operative management. 1999;30:950-3 (Case rep.)
Simonian GT, Pappas PY, Padberg FT Jr, Samit A, Silva MB Jr, Jamil Z, Hobson RW II. Mandibular subluxation for distal internal carotid exposure: technical considerations. 1999;30:1116-20
Simons PC, Algra A, Eikelboom BC, Grobbee DE, van der Graaf Y. Carotid artery stenosis in patients with peripheral arterial disease: the SMART study. 1999;30:519-25
Simpkins J (*see* Carmody et al). 1999;30:1045-51
Sirsjo A (*see* Hunter et al). 1999;30:36-49
Size GP (*see* Labropoulos et al). 1999;30:787-93
Sklenar S (*see* Heise et al). 1999;30:301-8
Slack R (*see* Shackley et al). 1999;30:668-78
Smith A (*see* Humphries et al). 1999;30:894-900
Smith A (*see* Quarmby et al). 1999;30:139-47
Smith JJ, Garratt AM, Guest M, Greenhalgh RM, Davies AH. Evaluating and improving health-related quality of life in patients with varicose veins. 1999;30:710-9
Sniderman KW (*see* Kalman et al).) 1999;30:727-33
Solooki BA (*see* Cikrit et al). 1999;30:599-605
Soot LC, Moneta GL, Edwards JM. Vascular surgery and the Internet: a poor source of patient-oriented information. 1999;30:84-91
Spaccatini A (*see* Cao et al). 1999;30:651-7
Speziale F (*see* Sbarigia et al). 1999;30:131-8
Spincemaille GF (*see* Ubbink et al). 1999;30:236-44
Spincemaille GH (*see* Ubbink et al). 1999;30:114-21
Stauffer E (*see* Reber et al). 1999;30:1084-9
Steed S (*see* Taylor et al). 1999;30:1052-9
Sternbergh WC 3rd (*see* Salartash et al). 1999;30:526-32
Strieter RM (*see* Wakefield et al). 1999;30:885-93
Stuart WP (*see* Adam et al). 1999;30:922-8
Suggs WD. Regarding "Percutaneous transluminal angioplasty for the treatment of limb threatening ischemia: do the results justify an attempt before bypass grafting?". 1999;30:387 (Letter reply)
Suggs WD (*see* Sanchez et al). 1999;30:907-14
Sullivan TM (*see* Arca et al). 1999;30:184-8 (Case rep.)
Suzuki F (*see* Hunter et al). 1999;30:36-49
Szendro G, Sabetai MM, Tegos TJ, Dhanjil S, Lennox A, Nicolaides AN. Mobile carotid plaques: the natural history of two asymptomatic and non-operated cases. 1999;30:357-62 (Case rep.)

T

Tabayashi K (*see* Sakurai et al). 1999;30:542-50
Taheri S (*see* Dalsing et al). 1999;30:854-66

Tai NRM, Giudiceandrea A, Salacinski HJ, Seifalian AM, Hamilton G. In vivo femoropopliteal arterial wall compliance in subjects with and without lower limb vascular disease. 1999;30:936-45
Taira A (*see* Toda et al). 1999;30:769 (Letter)
Takase S, Schmid-Schönbein G, Bergan JJ. Leukocyte activation in patients with venous insufficiency. 1999;30:148-56
Tangelder MJ, Lawson JA, Algra A, Eikelboom BC. Systematic review of randomized controlled trials of aspirin and oral anticoagulants in the prevention of graft occlusion and ischemic events after infrainguinal bypass surgery. 1999;30:701-9
Tangelder MJD (*see* Busschbach et al). 1999;30:1162-3 (Letter)
Taniguchi K (*see* Zhang et al). 1999;30:169-83
Taylor BS, Rhee RY, Muluk S, Trachtenberg J, Walters D, Steed S, Makaroun MS. Thrombin injection versus compression of femoral artery 1999;30:1052-9
Taylor LM Jr (*see* McLafferty et al). 1999;30:1-7
Taylor LM Jr (see Yeager et al). 1999;30:76-83
Taylor Sm (*see* Langan et al). 1999;30:484-90
Tegos TJ (*see* Szendro et al). 1999;30:357-62 (Case rep.)
ter Beek HT (*see* van Dongen et al). 1999;30:293-300
Thompson MM (*see* McCarthy et al). 1999;30:261-8
Tilson MD (*see* Hirose and Tilson). 1999;30:959 (Letter)
Ting AC, Gleave ME, Hsiang YN. In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava. 1999;30:363-6 (Case rep.)
Toda R, Moriyama Y, Taira A. Regarding "Rupture of a nonaneurysmal atherosclerotic infrarenal aorta." 1999;30:769 (Letter)
Tozzi FT (*see* da Silva et al). 1999;30:1150-7
Trachtenberg J (*see* Taylor et al). 1999;30:1052-9
Treiman G (*see* Lawrence et al). 1999;30:632-40
Treiman GS, Lawrence PF, Bhirangi K, Gazak CE. Effect of outflow level and maximum graft diameter on the velocity parameters of reversed vein bypass grafts. 1999;30:16-25
Treiman GS, Lawrence PF, Edwards WH Jr, Galt SW, Kraiss LW, Bhirangi K. An assessment of the current applicability of the EVT endovascular graft for treatment of patients with an infrarenal abdominal aortic aneurysm. 1999;30:68-75
Tretter MJ Jr, Hertzer NR, Mascha EJ, O'Hara PJ, Krajewski LP, Beven EG. Perioperative risk and late outcome of nonelective carotid endarterectomy. 1999;30:618-31
Tseng JF, Cambria RP, Aretz HT, Brewster DC. Thoracoabdominal aortic aneurysm in Cogan's syndrome. 1999;30:565-8 (Case rep.)
Turnipseed WD. Commentary regarding "Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial." 1999;30:370-1

U

Ubbink DT, Spincemaille GH, Prins MH, Reneman RS, Jacobs MJ. Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial. 1999;30:236-44
Ubbink DT, Spincemaille GH, Reneman RS, Jacobs MJ. Prediction of imminent amputation in patients with nonreconstructible leg ischemia by means of microcirculatory investigations. 1999;30:114-21
Unthank JL (*see* Sawchuk et al). 1999;30:761-4

V

Valentine RJ, Jackson MR, Modrall JG, McIntyre KE, Clagett GP. The progressive nature of peripheral arterial disease in young adults: a prospective analysis of white men referred to a vascular surgery service. 1999;30:436-45
Valladares J (*see* Sanchez et al). 1999;30:907-14
van Baalen JM (*see* Schurink et al). 1999;30:658-67
van Bockel JH (*see* Schurink et al). 1999;30:658-67
van Buren PA (*see* Ho et al). 1999;30:106-13
van der Bom JG (*see* Ho et al). 1999;30:106-13
van der Graaaf Y (*see* Simons et al). 1999;30:519-25
van der Grond J (*see* Visser et al). 1999;30:252-60
van Dongen EP, ter Beek HT, Schepens MA, Morshuis WJ, Haas FJ, de Boer A, Boezeman EH, Aarts LP. The relationship between evoked potentials and measurements of S-100 protein in cerebrospinal fluid during and after thoracoabdominal aortic aneurysm surgery. 1999;30:293-300
van Huffelen AC (*see* Visser et al). 1999;30:252-60
Vaquero C (*see* Gonzalez-Fajardo et al). 1999;30:283-92
Vazquez C (*see* Defraigne et al). 1999;30:693-700
Veith FJ (*see* Ohki et al). 1999;30:1034-44
Veith FJ (*see* Parsons et al). 1999;30:915-21
Veith FJ (*see* Sanchez et al). 1999;30:907-14
Velazquez OC, Bavaria JE, Pochettino A, Carpenter JP. Emergency repair of thoracoabdominal aortic aneurysms with immediate presentation. 1999;30:1084-9
Veller MG (*see* Levien and Veller). 1999;30:587-98
Vena Caval Filter Consensus Conference. Recommended reporting standards for vena caval filter placement and patient follow-up. 1999;30:573-9
Verlato F, Zucchetta P, Prandoni P, Camporese PG, Marzola MC, Salmistraro G, Bui F, Martini R, Rosso F. Unexpectedly high rate of pulmonary embolism in patients with superficial thrombophlebitis of the thigh. 1999;30:1113-5
Verzini F (*see* Cao et al). 1999;30:651-7
Vescera CL (*see* Quinones-Baldrich et al). 1999;30:555-60 (Case rep.)
Vickery K (*see* Chaufour et al). 1999;30:277-82
Visser GH, van der Grond J, van Huffelen AC, Wieneke GH, Eikelboom BC. Decreased transcranial Doppler carbon dioxide reactivity is associated with disordered cerebral metabolism in patients with internal carotid artery stenosis. 1999;30:252-60
von Fritschen U, Malzfeld E, Clasen A, Kortmann H. Inflammatory abdominal aortic aneurysm: a postoperative course of retroperitoneal fibrosis. 1999;30:1090-8

W

Wagner RJ (*see* Farber et al). 1999;30:752-60
Wain RA. "Can duplex scan arterial mapping replace contrast arteriography as the test of choice before infrainguinal revascularization?". 1999;30:770 (Letter reply)
Wain RA (*see* Sanchez et al). 1999;30:907-14
Wakefield TW, Linn MJ, Henke PK, Kadell AM, Wilke CA, Wrobleski SK, Sarkar M, Burdick MD, Myers DD, Strieter RM. Neovascularization during venous thrombosis organization: a preliminary study. 1999;30:885-93
Wakefield TW (*see* Dalsing et al). 1999;30:854-66
Waldman D (*see* Illig et al). 1999;30:1067-76
Walker PM (*see* Lindsay et al). 1999;30:219-28
Walker S. Regarding "A prospective study to assess changes in proximal aortic neck dimensions after endovascular repair of abdominal aortic aneurysms." 1999;30:1164 (Letter reply)
Walker S. Regarding "Occluding aortic endoluminal stent graft combined with extra-anatomic axillofemoral bypass as alternative management of abdominal aortic aneurysms for patients at high risk with complex anatomic features: a preliminary report." 1999;30:386 (Letter)

Walters D (*see* Taylor et al). 1999;30:1052-9
Waltham MW (*see* Humphries et al). 1999;30:894-900
Wang JG (*see* Huber et al). 1999;30:417-26
Warita H (*see* Sakurai et al). 1999;30:542-50
Waybil P (*see* Blebea et al). 1999;30:821-9
Webb KM (*see* Labropoulos et al). 1999;30:787-93
Westaby S. Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision." 1999;30:196-7 (Letter)
Westerband A (*see* Hunter et al). 1999;30:36-49
Westerband A (*see* Ihnat et al). 1999;30:8-15
Wever JJ, Blankensteijn JD. Regarding "A prospective study to assess changes in proximal aortic neck dimensions after endovascular repair of abdominal aortic aneurysms." 1999;30:1163-4 (Letter)
Wheeler KG (*see* Huber et al). 1999;30:417-26
White GH (*see* Chaufour et al). 1999;30:277-82
Whitehill TA (*see* Nehler et al). 1999;30:509-18
Wieneke GH (*see* Visser et al). 1999;30:252-60
Wikswo JP Jr (*see* Seidel et al). 1999;30:309-19
Wilke CA (*see* Wakefield et al). 1999;30:885-93
Williams GM (*see* Dardik et al). 1999;30:985-95
Williams SK (*see* Dal Ponte et al). 1999;30:325-33
Wilmink TB, Quick CR, Hubbard CS, Day NE. The influence of screening on the incidence of ruptured abdominal aortic aneurysms. 1999;30:203-8
Wilmink TBM, Quick CRG, Day NE. The association between cigarette smoking and abdominal aortic aneurysms. 1999;30:1099-105
Wilson E (*see* Blebea et al). 1999;30:821-9
Woloson KS, Littooy FN. Superficial femoral artery branch avulsion after severe muscle cramping. 1999;30:954-6 (Case rep.)
Wong JM, Hansen KJ, Oskin TC, Craven TE, Plonk GW Jr, Ligush J Jr, Dean RH. Surgery after failed percutaneous renal artery angioplasty. 1999;30:468-83
Wrobleski SK (*see* Wakefield et al). 1999;30:885-93

Y

Yamakawa T (*see* Zhang et al). 1999;30:169-83
Yan ZQ (*see* Hunter et al). 1999;30:36-49
Yeager RA, Taylor LM Jr, Moneta GL, Edwards JM, Nicoloff AD, McConnell DB, Porter JM. Improved results with conventional management of infrarenal aortic infection. 1999;30:76-83
You R (*see* Pappas et al). 1999;30:1129-45
Yunis JP (*see* Samson et al). 1999;30:446-52

Z

Zannetti S (*see* Cao et al). 1999;30:651-7
Zarins CK. Regarding "AneuRx stent graft versus open surgical repair of abdominal aorticaneurysms: multicenter prospective clinical trial." 1999;30:580-1 (Letter reply)
Zarins CK (*see* Hill et al). 1999;30:26-35
Zarka ZA (*see* Lennox et al). 1999;30:794-804
Zebala LP (*see* Caprini et al). 1999;30:805-12
Zegdi R, Martinod E, Fabre O, Lajos P, Fabiani JN. Video-assisted replacement or bypass grafting of the descending thoracic aorta with a new sutureless vascular prosthesis: an experimental study. 1999;30:320-4
Zemel G (*see* Simon et al). 1999;30:950-3 (Case rep.)
Zhang WD, Bai HZ, Sawa Y, Yamakawa T, Kadoba K, Taniguchi K, Masuda J, Ogata J, Shirakura R, Matsuda H. Association of smooth muscle cell phenotypic modulation with extracellular matrix alterations during neointima formation in rabbit vein grafts. 1999;30:169-83
Zou J (*see* Chaufour et al). 1999;30:277-82
Zucchetta P (*see* Verlato et al). 1999;30:1113-5

*Subject index**

A

Acetazolamide
The value of acetazolamide single photon emission computed tomography scans in the preoperative evaluation of asymptomatic critical carotid stenosis (Cikrit et al). 1999;30:599-605

Adenoviruses, human
In vivo adenovirus-mediated gene transfer and expression in ischemic rabbit spinal cord (Sakurai et al). 1999;30:542-50

Adolescents
May-Thurner syndrome in an adolescent: persistence despite operative management (Simon et al). 1999;30:950-3 (Case rep.)

Algorithms
A rational algorithm for duplex scan surveillance after carotid endarterectomy (Roth et al). 1999;30:453-60

Amputations
Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status (Nehler et al). 1999;30:509-18
Prediction of imminent amputation in patients with nonreconstructible leg ischemia by means of microcirculatory investigations (Ubbink et al). 1999;30:114-21

Amylases
Serum amylase isoenzymes in patients undergoing operation for ruptured and non-ruptured abdominal aortic aneurysm (Adam et al). 1999;30:229-35

Anesthesia, epidural
Epidural anesthesia reduces length of hospitalization after endoluminal abdominal aortic aneurysm repair (Cao et al). 1999;30:651-7

Anesthesia, general
Locoregional versus general anesthesia in carotid surgery: is there an impact on perioperative myocardial ischemia? Results of a prospective monocentric randomized trial (Sbarigia et al). 1999;30:131-8

Anesthesia, local
Locoregional versus general anesthesia in carotid surgery: is there an impact on perioperative myocardial ischemia? Results of a prospective monocentric randomized trial (Sbarigia et al). 1999;30:131-8

Aneurysm, abdominal aortic
The association between cigarette smoking and abdominal aortic aneurysms (Wilmink et al). 1999;30:1099-105
Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms (Adam et al). 1999;30:641-50
Community and hospital outcome from ruptured abdominal aortic aneurysm within the catchment area of a regional vascular surgical service (Adam et al). 1999;30:922-8
Emergency repair of thoracoabdominal aortic aneurysms with immediate presentation (Velazquez et al). 1999;30:996-1003
Endovascular repair of abdominal aortic aneurysms in patients with congenital renal vascular anomalies (Kaplan et al). 1999;30:407-16
Epidural anesthesia reduces length of hospitalization after endoluminal abdominal aortic aneurysm repair (Cao et al). 1999;30:651-7
Hirose H, Tilson MD. Negative genetic risk factor for abdominal aortic aneurysm: ELK-DQ3, a Japanese study. 1999;30:959 (Letter)
The incidence, natural history, and outcome of secondary intervention for persistent collateral flow in the excluded abdominal aortic aneurysm (Darling et al). 1999;30:968-76
Inflammatory abdominal aortic aneurysm: a postoperative course of retroperitoneal fibrosis (von Fritschen et al). 1999;30:1090-8
Minimal incision abdominal aortic aneurysm repair (Cerveira et al). 1999;30:977-84
Regarding "A prospective study to assess changes in proximal aortic neck dimensions after endovascular repair of abdominal aortic aneurysms" (Wever et al) (Letter); (Walker) (Letter reply). 1999;30:1163-4-1164
Regarding "AneuRx stent graft versus open surgical repair of abdominal aortic aneurysms: multicenter prospective clinical trial" (Adiseshiah) (Letter); (El-Sabrout and Duncan) (Reply); (Lawrence) (Reply); (Zairns) (Reply). 1999;30:580-4
Regarding "The value of late computed tomographic scanning in identification of vascular abnormalities after abdominal aortic aneurysm repair" (Mushtaq et al) (Letter); (Kalman and Johnston) (Reply). 1999;30:961
Repair of type IV thoracoabdominal aneurysm with a combined endovascular and surgical approach (Quiñones-Baldrich et al). 1999;30:555-60 (Case rep.)
Results of elective abdominal aortic aneurysm repair in the 1990s: a population-based analysis of 2,335 cases (Dardik et al). 1999;30:985-95
Successful completion of endoluminal repair of an abdominal aortic aneurysm after intraoperative iatrogenic rupture of the aneurysm (May and Schulze). 1999;30:901-6
Thoracoabdominal aortic aneurysm in Cogan's syndrome (Tseng et al). 1999;30:565-8 (Case rep.)

Aneurysm, false
Tuberculous pseudoaneurysm of the femoral artery: a case report (Kao et al). 1999;30:561-4 (Case rep.)

Aneurysm, infected
Arterial reconstruction with delap leg veins for the treatment of mycotic aneurysms (Benjamin et al). 1999;30:1004-15
Cryptococcal aortitis presenting as a ruptured mycotic abdominal aortic aneurysm (Deitch et al). 1999;30:189-92 (Case rep.)

Aneurysm, ruptured
Community and hospital outcome from ruptured abdominal aortic aneurysm within the catchment area of a regional vascular surgical service (Adam et al). 1999;30:922-8
Cryptococcal aortitis presenting as a ruptured mycotic abdominal aortic aneurysm (Deitch et al). 1999;30:189-92 (Case rep.)
The influence of screening on the incidence of ruptured abdominal aortic aneurysms (Wilmink et al). 1999;30:203-8
Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products (Lindsay et al). 1999;30:219-28
Serum amylase isoenzymes in patients undergoing operation for ruptured and non-ruptured abdominal aortic aneurysm (Adam et al). 1999;30:229-35

*July, pp. 1-202; August, pp. 203-390; September, pp. 391-586; October, pp. 587-774; November, pp. 775-962; December, pp 963-1192.

Successful completion of endoluminal repair of an abdominal aortic aneurysm after intraoperative iatrogenic rupture of the aneurysm (May and Schulze). 1999;30:901-6

Aneurysms

The epidemiology of surgically repaired aneurysms in the United States (Lawrence et al). 1999;30:632-40

Regarding "Peripheral aneurysms and arteriomegaly: is there a familial pattern?" (Belardi and Lucertini). 1999;30:581 (Letter)

Splenic artery aneurysms: methods of laparoscopic repair (Arca et a;). 1999;30:184-8 (Case rep.)

Splenic artery aneurysms: methods of laparoscopic repair (Arca et al). 1999;30:184-8 (Case rep.)

Angiography

Regarding "Can duplex scan arterial mapping replace contrast arteriography as the test of choice before infrainguinal revascularization?" (Ligush) (Letter); (Wain) (Reply). 1999;30:770

Angioplasty

Hemostatic efficacy of fibrin sealant (human) on expanded poly-tetrafluoroethylene carotid patch angioplasty: a randomized clinical trial (Jackson et al). 1999;30:461-7

Surgery after failed percutaneous renal artery angioplasty (Wong et al). 1999;30:468-83

Angioplasty, balloon

Efficacy of a filter device in the prevention of embolic events during carotid angioplasty and stenting: an ex vivo analysis (Ohki et al). 1999;30:1034-44

Angioplasty, transluminal, percutaneous coronary

Early and long-term results of percutaneous transluminal angioplasty of the lower abdominal aorta (Elkouri et al). 1999;30:679-92

Regarding "Percutaneous transluminal angioplasty for the treatment of limb threatening ischemia: do the results justify an attempt before bypass grafting?" (Bell) (Letter); (Suggs) (Reply). 1999;30:386-7

Angioscopy

Evaluation of disinfection and sterilization of reusable angioscopes with the duck hepatitis B model (Chaufour et al). 1999;30:277-82

Antibiotics, antitubercular

In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998) (Hayes et al). 1999;30:92-8

Anticoagulants

Deep vein thrombosis outcome and the level of oral anticoagulation therapy (Caprini et al). 1999;30:805-12

The influence of oral anticoagulation therapy on deep vein thrombosis rates four weeks after total hip replacement (Caprini et al). 1999;30:813-20

Mobile carotid plaques: the natural history of two asymptomatic and non-operated cases (Szendro et al). 1999;30:357-62 (Case rep.)

Systematic review of randomized controlled trials of aspirin and oral anticoagulants in the prevention of graft occlusion and ischemic events after infrainguinal bypass surgery (Tangelder et al). 1999;30:701-9

Venographic comparison of subcutaneous low-molecular weight heparin with oral anticoagulant therapy in the long-term treatment of deep venous thrombosis (Gonzalez-Fajardo et al). 1999;30:283-92

Aorta

Regarding "A prospective study to assess changes in proximal aortic neck dimensions after endovascular repair of abdominal aortic aneurysms" (Wever et al) (Letter); (Walker) (Letter reply). 1999;30:1163-4-1164

Aorta, abdominal

Early and long-term results of percutaneous transluminal angioplasty of the lower abdominal aorta (Elkouri et al). 1999;30:679-92

Regarding "Rupture of a nonaneurysmal atherosclerotic infrarenal aorta" (Toda et al). 1999;30:769 (Letter)

In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava (Ting et al). 1999;30:363-6 (Case rep.)

Spinal cord ischemia after abdominal aortic operation: is it preventable? (Rosenthal). 1999;30:391-9

Aorta, thoracic

The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta (Brittenden et al). 1999;30:946-9 (Case rep.)

Video-assisted replacement or bypass grafting of the descending thoracic aorta with a new sutureless vascular prosthesis: an experimental study (Zegdi et al). 1999;30:320-4

Aortic aneurysm, abdominal

An assessment of the current applicability of the EVT endovascular graft for treatment of patients with an infrarenal abdominal aortic aneurysm (Treiman et al). 1999;30:68-75

Cryptococcal aortitis presenting as a ruptured mycotic abdominal aortic aneurysm (Deitch et al). 1999;30:189-92 (Case rep.)

Endovascular, transperitoneal, and retroperitoneal abdominal aortic aneurysm repair: results and costs (Quiñones-Baldrich et al). 1999;30:59-67

The influence of screening on the incidence of ruptured abdominal aortic aneurysms (Wilmink et al). 1999;30:203-8

Mid-term results of a second generation bifurcated endovascular graft for abdominal aortic aneurysm repair: the French Vanguard trial (Becquemin et al). 1999;30:209-18

Regarding "Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms" (Ouriel). 1999;30:765-6

Regarding "Occluding aortic endoluminal stent graft combined with extra-anatomic axillofemoral bypass as alternative management of abdominal aortic aneurysms for patients at high risk with complex anatomic features: a preliminary report" (Walker) (Letter); (Minh) (Reply). 1999;30:386

Regarding "Problems with the dissemination of up-to-date information on the results of endograft repair for abdominal aortic aneurysm" (Harris and Buth) (Letter); (Rutherford) (Reply). 1999;30:767-9

Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision" (Westaby) (Letter); (Safi) (Reply). 1999;30:196-7

The relationship between evoked potentials and measurements of S-100 protein in cerebrospinal fluid during and after thoracoabdominal aortic aneurysm surgery (van Dongen et al). 1999;30:293-300

Serum amylase isoenzymes in patients undergoing operation for ruptured and non-ruptured abdominal aortic aneurysm (Adam et al). 1999;30:229-35

Aortic aneurysm, thoracic

Aortoesophageal fistula caused by aneurysm of the thoracic aorta: successful surgical treatment, case report and literature review (da Silva et al). 1999;30:1150-7

Emergency repair of thoracoabdominal aortic aneurysms with immediate presentation (Velazquez et al). 1999;30:996-1003
Hyperbaric oxygenation treatment of acute paraplegia following resection of a thoraco-abdominal aortic aneurysm (Puttaswamy et al). 1999;30:1158-61
Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision" (Westaby) (Letter); (Safi) (Reply). 1999;30:196-7
Results of elective abdominal aortic aneurysm repair in the 1990s: a population-based analysis of 2,335 cases (Dardik et al). 1999;30:985-95

Aortic diseases
Aortoesophageal fistula caused by aneurysm of the thoracic aorta: successful surgical treatment, case report and literature review (da Silva et al). 1999;30:1150-7
Comparison between the transabdominal and retroperitoneal approaches for aortic reconstruction in patients at high risk (Kirby et al). 1999;30:400-6
Improved results with conventional management of infrarenal aortic infection (Yeager et al). 1999;30:76-83
Mural aortic thrombi—an important cause of peripheral embolization (Reber et al). 1999;30:1084-9

Aortic rupture
Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms (Adam et al). 1999;30:641-50
Regarding "Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms" (Ouriel). 1999;30:765-6
Regarding "Rupture of a nonaneurysmal atherosclerotic infrarenal aorta" (Toda et al). 1999;30:769 (Letter)

Aortitis
Cryptococcal aortitis presenting as a ruptured mycotic abdominal aortic aneurysm (Deitch et al). 1999;30:189-92 (Case rep.)

Apoptosis
A specific inhibitor of apoptosis decreases tissue injury after intestinal ischemia-reperfusion in mice (Farber et al). 1999;30:752-60

Arterial occlusive diseases
Axillary to carotid artery bypass for symptomatic severe common carotid artery occlusive disease (Archie). 1999;30:1106-12
Crossover iliofemoral bypass grafting for treatment of unilateral iliac atherosclerotic disease (Defraigne et al). 1999;30:693-700
Impact of race on the treatment for peripheral arterial occlusvie disease (Huber et al). 1999;30:417-26
Incidence, time-of-onset, and anatomical distribution of recurrent stenoses after remote endarterectomy in superficial femoral artery occlusive disease (Ho et al). 1999;30:106-13
A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999;30:301-8
Potential predictors of outcome in patients with tissue loss who undergo infrainguinal vein bypass grafting. (Seeger et al). 1999;30:427-35

Arteries
Folic acid inhibits homocysteine-induced proliferation of human arterial smooth muscle cells (Carmody et al). 1999;30:1121-8

Arteriovenous fistula
Do residual arteriovenous fistulae after in situ saphenous vein bypass grafting influence patency? (Lundell and Nyborg). 1999;30:99-10
Endovascular management of ureteroarterial fistula (Feuer et al). 1999;30:1146-9

Arteriovenous shunt, surgical
Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips (Dal Ponte et al). 1999;30:325-33
Management of dialysis access-associated steal syndrome: use of intraoperative duplex ultrasound scanning for optimal flow reduction (Shemesh et al). 1999;30:193-5 (Case rep.)

Arthroplasty, replacement, hip
The influence of oral anticoagulation therapy on deep vein thrombosis rates four weeks after total hip replacement (Caprini et al). 1999;30:813-20

Aspirin
Systematic review of randomized controlled trials of aspirin and oral anticoagulants in the prevention of graft occlusion and ischemic events after infrainguinal bypass surgery (Tangelder et al). 1999;30:701-9

Atherosclerosis
Angiogenesis and the atherosclerotic carotid plaque: an association between symptomatology and plaque morphology (McCarthy et al). 1999;30:261-8
Crossover iliofemoral bypass grafting for treatment of unilateral iliac atherosclerotic disease (Defraigne et al). 1999;30:693-700
Drag reducing polymers may decrease atherosclerosis by increasing shear in areas normally exposed to low shear stress (Sawchuk et al). 1999;30:761-4
Macrophage accumulation within the cap of carotid atherosclerotic plaques is associated with the onset of cerebral ischemic events (Husain et al). 1999;30:269-76
Mobile carotid plaques: the natural history of two asymptomatic and non-operated cases (Szendro et al). 1999;30:357-62 (Case rep.)
Stent attachment site-related endoleakage after stent graft treatment: an in vitro study of the effects of graft size, stent type, and atherosclerotic wall changes (Schurink et al). 1999;30:658-67

Axillary artery
Axillary to carotid artery bypass for symptomatic severe common carotid artery occlusive disease (Archie). 1999;30:1106-12
Comparative evaluation of externally supported Dacron and polytetrafluoroethylene prosthetic bypasses for femorofemoral and axillofemoral arterial reconstructions (Johnson and Lee). 1999;30:1077-83

B

Bacterial infections
In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava (Ting et al). 1999;30:363-6 (Case rep.)

Balloon dilatation
Noninvasive detection of ischemic bowel (Seidel et al). 1999;30:309-19

Bandages
The effect of graded compression elastic stockings on the lower leg venous system during daily activity (Buhs et al). 1999;30:830-5
Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency (Marston et al). 1999;30:491-8

Thrombin injection versus compression of femoral artery (Taylor et al). 1999;30:1052-9

Biological markers

Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products (Lindsay et al). 1999;30:219-28

Blood circulation

Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status (Nehler et al). 1999;30:509-18

Blood flow velocity

Decreased transcranial Doppler carbon dioxide reactivity is associated with disordered cerebral metabolism in patients with internal carotid artery stenosis (Visser et al). 1999;30:252-60

Effect of outflow level and maximum graft diameter on the velocity parameters of reversed vein bypass grafts (Treiman et al). 1999;30:16-25

Lack of precision of duplex scan velocity measurements can falsely elevate rates of progression of carotid stenosis (Archie). 1999;30:385-6 (Letter)

Blood vessel prosthesis

Comparative evaluation of externally supported Dacron and polytetrafluoroethylene prosthetic bypasses for femorofemoral and axillofemoral arterial reconstructions (Johnson and Lee). 1999;30:1077-83

Improved results with conventional management of infrarenal aortic infection (Yeager et al). 1999;30:76-83

Blood vessel prosthesis implantation

An assessment of the current applicability of the EVT endovascular graft for treatment of patients with an infrarenal abdominal aortic aneurysm (Treiman et al). 1999;30:68-75

Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips (Dal Ponte et al). 1999;30:325-33

Isolated inferior mesenteric artery revascularization for chronic visceral ischemia (Schneider et al). 1999;30:51-8

Mid-term results of a second generation bifurcated endovascular graft for abdominal aortic aneurysm repair: the French Vanguard trial (Becquemin et al). 1999;30:209-18

A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999;30:301-8

Regarding "Occluding aortic endoluminal stent graft combined with extra-anatomic axillofemoral bypass as alternative management of abdominal aortic aneurysms for patients at high risk with complex anatomic features: a preliminary report" (Walker) (Letter); (Minh) (Reply). 1999;30:386

In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998) (Hayes et al). 1999;30:92-8

Video-assisted replacement or bypass grafting of the descending thoracic aorta with a new sutureless vascular prosthesis: an experimental study (Zegdi et al). 1999;30:320-4

Book reviews

Book reviews. 1999;30:198-9, 388-9, 585, 773-4, 1165-6

C

Carbon dioxide

Decreased transcranial Doppler carbon dioxide reactivity is associated with disordered cerebral metabolism in patients with internal carotid artery stenosis (Visser et al). 1999;30:252-60

Cardiopulmonary bypass

Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision" (Westaby) (Letter); (Safi) (Reply). 1999;30:196-7

Carotid arteries

Angiogenesis and the atherosclerotic carotid plaque: an association between symptomatology and plaque morphology (McCarthy et al). 1999;30:261-8

Axillary to carotid artery bypass for symptomatic severe common carotid artery occlusive disease (Archie). 1999;30:1106-12

Carotid artery, internal

Comment regarding "Intraoperative stenting of the internal carotid artery after successful eversion endarterectomy" (Beebe et al). 1999;30:372

Decreased transcranial Doppler carbon dioxide reactivity is associated with disordered cerebral metabolism in patients with internal carotid artery stenosis (Visser et al). 1999;30:252-60

Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy (Melissano et al). 1999;30:355-6 (Case rep.)

Mandibular subluxation for distal internal carotid exposure: technical considerations (Simonian et al). 1999;30:1116-20

Mobile carotid plaques: the natural history of two asymptomatic and non-operated cases (Szendro et al). 1999;30:357-62 (Case rep.)

Carotid artery diseases

Accelerated carotid artery disease after high-dose head and neck radiotherapy: is there a role for routine carotid duplex surveillance? (Carmody et al). 1999;30:1045-51

Axillary to carotid artery bypass for symptomatic severe common carotid artery occlusive disease (Archie). 1999;30:1106-12

Carotid endarterectomy; *see* Endarterectomy, carotid

Carotid stenosis

Angiogenesis and the atherosclerotic carotid plaque: an association between symptomatology and plaque morphology (McCarthy et al). 1999;30:261-8

Carotid artery stenosis in patients with peripheral arterial disease: the SMART study (Simons et al). 1999;30:519-25

The contribution of inducible nitric oxide and cytomegalovirus to the stability of complex carotid plaque (Hunter et al). 1999;30:36-49; discussion 50

Decreased transcranial Doppler carbon dioxide reactivity is associated with disordered cerebral metabolism in patients with internal carotid artery stenosis (Visser et al). 1999;30:252-60

Efficacy of a filter device in the prevention of embolic events during carotid angioplasty and stenting: an ex vivo analysis (Ohki et al). 1999;30:1034-44

Hemodynamically significant early recurrent carotid stenosis: an often self-limiting and self-reversing condition (Samson et al). 1999;30:446-52

Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy (Melissano et al). 1999;30:355-6 (Case rep.)

Is carotid endarterectomy cost-effective in symptomatic patients with moderate (50% to 69%) stenosis? (Patel et al). 1999;30:1024-33

Lack of precision of duplex scan velocity measurements can falsely elevate rates of progression of carotid stenosis (Archie). 1999;30:385-6 (Letter)

Macrophage accumulation within the cap of carotid atherosclerotic plaques is associated with the onset of cerebral ischemic events (Husain et al). 1999;30:269-76
Mandibular subluxation for distal internal carotid exposure: technical considerations (Simonian et al). 1999;30:1116-20
Mobile carotid plaques: the natural history of two asymptomatic and non-operated cases (Szendro et al). 1999;30:357-62 (Case rep.)
Refining the indications for carotid endarterectomy in patients with symptomatic carotid stenosis: a systematic review (Cina et al). 1999;30:606-17
Reoperation for carotid stenosis is as safe as primary carotid endarterectomy (Hill et al). 1999;30:26-35
Selection of patients for carotid endarterectomy (Golledge et al). 1999;30:122-30
The value of acetazolamide single photon emission computed tomography scans in the preoperative evaluation of asymptomatic critical carotid stenosis (Cikrit et al). 1999;30:599-605

Case reports
Case reports. 1999;30:184-9, 355-66, 551-5

Catheterization
Regarding "Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization" (Lorenzi) (Letter); (Greenberg) (Reply). 1999;30:771-2

Cell adhesion molecules
A model of in vivo human venous thrombosis that confirms changes in the release of specific soluble cell adhesion molecules in experimental venous thrombogenesis (Quarmby et al). 1999;30:139-47

Cerebral angiography
Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy (Melissano et al). 1999;30:355-6 (Case rep.)

Cerebral arteriosclerosis
The contribution of inducible nitric oxide and cytomegalovirus to the stability of complex carotid plaque (Hunter et al). 1999;30:36-49; discussion 50

Cerebrovascular disorders
Diabetes and peripheral vascular disease (Akbari and LoGerfo). 1999;30:373-84
Immediate reoperation for perioperative stroke after 2250 carotid endarterectomies: differences between intraoperative and early postoperative stroke (Radak et al). 1999;30:245-51
Macrophage accumulation within the cap of carotid atherosclerotic plaques is associated with the onset of cerebral ischemic events (Husain et al). 1999;30:269-76

Coagulation
Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms (Adam et al). 1999;30:641-50
Regarding "Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms" (Ouriel). 1999;30:765-6

Cogan's syndrome
Thoracoabdominal aortic aneurysm in Cogan's syndrome (Tseng et al). 1999;30:565-8 (Case rep.)

Collateral circulation
The incidence, natural history, and outcome of secondary intervention for persistent collateral flow in the excluded abdominal aortic aneurysm (Darling et al). 1999;30:968-76

Communication
Regarding "Problems with the dissemination of up-to-date information on the results of endograft repair for abdominal aortic aneurysm" (Harris and Buth) (Letter); (Rutherford) (Reply). 1999;30:767-9

Compression; *see* Bandages

Conflict of interest
Disclosure of competition of interest (Johnston and Rutherford). 1999;30:200-2 (Editorial)

Constriction, pathologic
Popliteal artery entrapment syndrome: more common than previously recognized (Levien and Veller). 1999;30:587-98

Coronary artery bypass
Axillary to carotid artery bypass for symptomatic severe common carotid artery occlusive disease (Archie). 1999;30:1106-12
Crossover iliofemoral bypass grafting for treatment of unilateral iliac atherosclerotic disease (Defraigne et al). 1999;30:693-700
Regarding "Right atrial bypass grafting for central venous obstruction associated with dialysis access: another treatment option" (Nghiem). 1999;30:582-3 (Letter)
Systematic review of randomized controlled trials of aspirin and oral anticoagulants in the prevention of graft occlusion and ischemic events after infrainguinal bypass surgery (Tangelder et al). 1999;30:701-9

Correspondence; *see* Letters

Cost and cost analysis
Costing vascular surgery: a review of current reporting practice (Shackley et al). 1999;30:668-78
Endovascular, transperitoneal, and retroperitoneal abdominal aortic aneurysm repair: results and costs (Quiñones-Baldrich et al). 1999;30:59-67
Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency (Marston et al). 1999;30:491-8
Is carotid endarterectomy cost-effective in symptomatic patients with moderate (50% to 69%) stenosis? (Patel et al). 1999;30:1024-33

Cross infection
Evaluation of disinfection and sterilization of reusable angioscopes with the duck hepatitis B model (Chaufour et al). 1999;30:277-82

Cryopreservation
A multicenter, phase I evaluation of cryopreserved venous valve allografts for the treatment of chronic deep venous insufficiency (Dalsing et al). 1999;30:854-66

Cryptococcosis
Cryptococcal aortitis presenting as a ruptured mycotic abdominal aortic aneurysm (Deitch et al). 1999;30:189-92 (Case rep.)

Cytokines
Cytokines contribute to early hepatic parenchymal injury and microvascular dysfunction after bilateral hindlimb ischemia (Lawlor et al). 1999;30:533-41

Cytomegalovirus infections
The contribution of inducible nitric oxide and cytomegalovirus to the stability of complex carotid plaque (Hunter et al). 1999;30:36-49; discussion 50

D

Diabetes mellitus
Diabetes and peripheral vascular disease (Akbari and LoGerfo). 1999;30:373-84
Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status (Nehler et al). 1999;30:509-18

Diabetic angiopathies
Diabetes and peripheral vascular disease (Akbari and LoGerfo). 1999;30:373-84

Dialysis
Dialysis access failure: a sheep model of rapid stenosis (Kohler et al). 1999;30:744-51
Regarding "Right atrial bypass grafting for central venous obstruction associated with dialysis access: another treatment option" (Nghiem). 1999;30:582-3 (Letter)
Dinoprost
Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products (Lindsay et al). 1999;30:219-28
Duodenum
In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava (Ting et al). 1999;30:363-6 (Case rep.)
Duplex scan; *see* Ultrasound, Doppler, duplex

E

Editorials
Editorials. 1999;30:200-1
Education
Education and brotherhood (Jarrett). 1999;30:963-7
Electric stimulation therapy
Commentary regarding "Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial" (Turnipseed). 1999;30:370-1
Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial (Ubbink et al). 1999;30:236-44
Electrophysiology
Developing a discriminant noninvasive test for early mesenteric ischemia: measuring the basic rhythms of life (Chaikof). 1999;30:367-9
Noninvasive detection of ischemic bowel (Seidel et al). 1999;30:309-19
Embolism
Efficacy of a filter device in the prevention of embolic events during carotid angioplasty and stenting: an ex vivo analysis (Ohki et al). 1999;30:1034-44
Mural aortic thrombi—an important cause of peripheral embolization (Reber et al). 1999;30:1084-9
Embolism, cholesterol
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)
Endarterectomy
Incidence, time-of-onset, and anatomical distribution of recurrent stenoses after remote endarterectomy in superficial femoral artery occlusive disease (Ho et al). 1999;30:106-13
Endarterectomy, carotid
Comment regarding "Intraoperative stenting of the internal carotid artery after successful eversion endarterectomy" (Beebe et al). 1999;30:372
Hemostatic efficacy of fibrin sealant (human) on expanded poly-tetrafluoroethylene carotid patch angioplasty: a randomized clinical trial (Jackson et al). 1999;30:461-7
Immediate reoperation for perioperative stroke after 2250 carotid endarterectomies: differences between intraoperative and early postoperative stroke (Radak et al). 1999;30:245-51
Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy (Melissano et al). 1999;30:355-6 (Case rep.)
Is carotid endarterectomy cost-effective in symptomatic patients with moderate (50% to 69%) stenosis? (Patel et al). 1999;30:1024-33
Locoregional versus general anesthesia in carotid surgery: is there an impact on perioperative myocardial ischemia? Results of a prospective monocentric randomized trial (Sbarigia et al). 1999;30:131-8
Macrophage accumulation within the cap of carotid atherosclerotic plaques is associated with the onset of cerebral ischemic events (Husain et al). 1999;30:269-76
Perioperative risk and late outcome of nonelective carotid endarterectomy (Tretter et al). 1999;30:618-31
A rational algorithm for duplex scan surveillance after carotid endarterectomy (Roth et al). 1999;30:453-60
Refining the indications for carotid endarterectomy in patients with symptomatic carotid stenosis: a systematic review (Cina et al). 1999;30:606-17
Regarding "Assessment of ocular perfusion after carotid endarterectomy with color-flow duplex scanning" (Gee) (Letter); (Flinn) (Reply). 1999;30:960
Reoperation for carotid stenosis is as safe as primary carotid endarterectomy (Hill et al). 1999;30:26-35
Selection of patients for carotid endarterectomy (Golledge et al). 1999;30:122-30
Endoleakage; *see* Postoperative complications
Enoxaparin
Venographic comparison of subcutaneous low-molecular weight heparin with oral anticoagulant therapy in the long-term treatment of deep venous thrombosis (Gonzalez-Fajardo et al). 1999;30:283-92
Epidemiology
The epidemiology of surgically repaired aneurysms in the United States (Lawrence et al). 1999;30:632-40
Erythrocyte aggregation
Power Doppler ultrasound scan imaging of the level of red blood cell aggregation: an in vitro study (Allard et al). 1999;30:157-68
Esophageal fistula
Aortoesophageal fistula caused by aneurysm of the thoracic aorta: successful surgical treatment, case report and literature review (da Silva et al). 1999;30:1150-7
Ethnic groups
Impact of race on the treatment for peripheral arterial occlusvie disease (Huber et al). 1999;30:417-26
Evoked potentials, motor
The relationship between evoked potentials and measurements of S-100 protein in cerebrospinal fluid during and after thoracoabdominal aortic aneurysm surgery (van Dongen et al). 1999;30:293-300
Extracellular matrix
Association of smooth muscle cell phenotypic modulation with extracellular matrix alterations during neointima formation in rabbit vein grafts (Zhang et al). 1999;30:169-83
Extracorporeal circulation
A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999;30:301-8
Extremities
Regarding "Percutaneous transluminal angioplasty for the treatment of limb threatening ischemia: do the results justify an attempt before bypass grafting?" (Bell) (Letter); (Suggs) (Reply). 1999;30:386-7

F

Femoral artery
Comparative evaluation of externally supported Dacron and polytetrafluoroethylene prosthetic bypasses for femorofemoral and axillofemoral arterial reconstructions (Johnson and Lee). 1999;30:1077-83
Crossover iliofemoral bypass grafting for treatment of unilateral iliac atherosclerotic disease (Defraigne et al). 1999;30:693-700
Incidence, time-of-onset, and anatomical distribution of recurrent stenoses after remote endarterectomy in superficial femoral artery occlusive disease (Ho et al). 1999;30:106-13
In vivo femoropopliteal arterial wall compliance in subjects with and without lower limb vascular disease (Tai et al). 1999;30:936-45
Superficial femoral artery branch avulsion after severe muscle cramping (Woloson and Littooy). 1999;30:954-6 (Case rep.)
Thrombin injection versus compression of femoral artery (Taylor et al). 1999;30:1052-9
Tuberculous pseudoaneurysm of the femoral artery: a case report (Kao et al). 1999;30:561-4 (Case rep.)
Femoral vein
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)
Fibrin tissue adhesive
Hemostatic efficacy of fibrin sealant (human) on expanded poly-tetrafluoroethylene carotid patch angioplasty: a randomized clinical trial (Jackson et al). 1999;30:461-7
Fibrinolysis
Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms (Adam et al). 1999;30:641-50
Regarding "Coagulation and fibrinolysis in patients undergoing operation for ruptured and nonruptured infrarenal abdominal aortic aneurysms" (Ouriel). 1999;30:765-6
Fibroblasts
Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor-β_1 gene expression and protein production (Pappas et al). 1999;30:1129-45
Folic acid
Folic acid inhibits homocysteine-induced proliferation of human arterial smooth muscle cells (Carmody et al). 1999;30:1121-8
Follow-up studies
Recommended reporting standards for vena caval filter placement and patient follow-up (Vena Caval Filter Consensus Conference). 1999;30:573-9
Foot ulcer
Efficacy of dorsal pedal artery bypass in limb salvage for ischemic heel ulcers (Berceli et al). 1999;30:499-508
Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial (Ubbink et al). 1999;30:236-44
Forefoot, human
Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status (Nehler et al). 1999;30:509-18

G

Gene transfer
In vivo adenovirus-mediated gene transfer and expression in ischemic rabbit spinal cord (Sakurai et al). 1999;30:542-50
Genetics
Regarding "Peripheral aneurysms and arteriomegaly: is there a familial pattern?" (Belardi and Lucertini). 1999;30:581 (Letter)
Genotype
Negative genetic risk factor for abdominal aortic aneurysm: ELK-DQ3, a Japanese study (Hirose and Tilson). 1999;30:959 (Letter)
Graft occlusion, vascular
Association of smooth muscle cell phenotypic modulation with extracellular matrix alterations during neointima formation in rabbit vein grafts (Zhang et al). 1999;30:169-83
The correlation of early flow disturbances with the development of infrainguinal graft stenosis: a 10-year study of 341 autogenous vein grafts (Ihnat et al). 1999;30:8-15
Effect of outflow level and maximum graft diameter on the velocity parameters of reversed vein bypass grafts (Treiman et al). 1999;30:16-25
Efficacy of dorsal pedal artery bypass in limb salvage for ischemic heel ulcers (Berceli et al). 1999;30:499-508
EuroQol values for economic modeling quality of life after infrainguinal bypass grafting surgery: a rectification (Busschbach et al). 1999;30:1162-3 (Letter)
Regarding "Right atrial bypass grafting for central venous obstruction associated with dialysis access: another treatment option" (Nghiem). 1999;30:582-3 (Letter)
Systematic review of randomized controlled trials of aspirin and oral anticoagulants in the prevention of graft occlusion and ischemic events after infrainguinal bypass surgery (Tangelder et al). 1999;30:701-9

H

Hand
Management of dialysis access-associated steal syndrome: use of intraoperative duplex ultrasound scanning for optimal flow reduction (Shemesh et al). 1999;30:193-5 (Case rep.)
Head and neck neoplasms
Accelerated carotid artery disease after high-dose head and neck radiotherapy: is there a role for routine carotid duplex surveillance? (Carmody et al). 1999;30:1045-51
Heart arrest, induced
Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision" (Westaby) (Letter); (Safi) (Reply). 1999;30:196-7
Heel
Efficacy of dorsal pedal artery bypass in limb salvage for ischemic heel ulcers (Berceli et al). 1999;30:499-508
Hemodialysis
Endovascular versus surgical treatment for thrombosed hemodialysis grafts: a prospective, randomized study (Dougherty et al). 1999;30:1016-23
Management of dialysis access-associated steal syndrome: use of intraoperative duplex ultrasound scanning for optimal flow reduction (Shemesh et al). 1999;30:193-5 (Case rep.)
A practical approach to vascular access for hemodialysis and predictors of success (Kalman et al). 1999;30:727-33

Hemodynamics
Hemodynamically significant early recurrent carotid stenosis: an often self-limiting and self-reversing condition (Samson et al). 1999;30:446-52
Hemostasis
Hemostatic efficacy of fibrin sealant (human) on expanded poly-tetrafluoroethylene carotid patch angioplasty: a randomized clinical trial (Jackson et al). 1999;30:461-7
Heparin, low-molecular-weight
Oral low-molecular weight heparin and delivery agent prevents jugular venous thrombosis in the rat (Salartash et al). 1999;30:526-32
Venographic comparison of subcutaneous low-molecular weight heparin with oral anticoagulant therapy in the long-term treatment of deep venous thrombosis (Gonzalez-Fajardo et al). 1999;30:283-92
Hepatitis B virus, duck
Evaluation of disinfection and sterilization of reusable angioscopes with the duck hepatitis B model (Chaufour et al). 1999;30:277-82
Hindlimb
Cytokines contribute to early hepatic parenchymal injury and microvascular dysfunction after bilateral hindlimb ischemia (Lawlor et al). 1999;30:533-41
History
Lessons from the past guide the future: is history truly circular? (O'Donnell). 1999;30:775-86
HLA-DQ antigens
Negative genetic risk factor for abdominal aortic aneurysm: ELK-DQ3, a Japanese study (Hirose and Tilson). 1999; 30:959 (Letter)
Homocysteine
Folic acid inhibits homocysteine-induced proliferation of human arterial smooth muscle cells (Carmody et al). 1999;30:1121-8
Hospitalization
Epidural anesthesia reduces length of hospitalization after endoluminal abdominal aortic aneurysm repair (Cao et al). 1999;30:651-7
Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status (Nehler et al). 1999;30:509-18
Hyperbaric oxygenation
Hyperbaric oxygenation treatment of acute paraplegia following resection of a thoraco-abdominal aortic aneurysm (Puttaswamy et al). 1999;30:1158-61
Hypothermia, induced
Regarding "Thoracic and thoracoabdominal aortic aneurysm repair using cardiopulmonary bypass, profound hypothermia, and circulatory arrest via left side of the chest incision" (Westaby) (Letter); (Safi) (Reply). 1999;30:196-7

I

Iliac aneurysms
Midterm experience with the endovascular treatment of isolated iliac aneurysms (Sanchez et al). 1999;30:907-14
Midterm results of endovascular stented grafts for the treatment of isolated iliac artery aneurysms (Parsons et al). 1999;30:915-21
Iliac artery
Crossover iliofemoral bypass grafting for treatment of unilateral iliac atherosclerotic disease (Defraigne et al). 1999; 30:693-700
Infection
Intermediate-term outcome of primary digit amputations in patients with diabetes mellitus who have forefoot sepsis requiring hospitalization and presumed adequate circulatory status (Nehler et al). 1999;30:509-18
Internet
Vascular surgery and the Internet: a poor source of patient-oriented information (Soot et al). 1999;30:84-91
Intestines
A specific inhibitor of apoptosis decreases tissue injury after intestinal ischemia-reperfusion in mice (Farber et al). 1999;30:752-60
Intestines, small
Developing a discriminant noninvasive test for early mesenteric ischemia: measuring the basic rhythms of life (Chaikof). 1999;30:367-9
Noninvasive detection of ischemic bowel (Seidel et al). 1999;30:309-19
Intraocular perfusion
Regarding "Assessment of ocular perfusion after carotid endarterectomy with color-flow duplex scanning" (Gee) (Letter); (Flinn) (Reply). 1999;30:960
Ischemia
Commentary regarding "Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial" (Turnipseed). 1999;30:370-1
Cytokines contribute to early hepatic parenchymal injury and microvascular dysfunction after bilateral hindlimb ischemia (Lawlor et al). 1999;30:533-41
Developing a discriminant noninvasive test for early mesenteric ischemia: measuring the basic rhythms of life (Chaikof). 1999;30:367-9
Do residual arteriovenous fistulae after in situ saphenous vein bypass grafting influence patency? (Lundell and Nyborg). 1999;30:99-10
Efficacy of dorsal pedal artery bypass in limb salvage for ischemic heel ulcers (Berceli et al). 1999;30:499-508
Isolated inferior mesenteric artery revascularization for chronic visceral ischemia (Schneider et al). 1999;30:51-8
Management of dialysis access-associated steal syndrome: use of intraoperative duplex ultrasound scanning for optimal flow reduction (Shemesh et al). 1999;30:193-5 (Case rep.)
Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial (Ubbink et al). 1999;30:236-44
The neuroprotective effects of intrathecal administration of the selective N-type calcium channel blocker ziconotide in a rat model of spinal ischemia (Burns et al). 1999;30: 334-43
Noninvasive detection of ischemic bowel (Seidel et al). 1999;30:309-19
Prediction of imminent amputation in patients with nonreconstructible leg ischemia by means of microcirculatory investigations (Ubbink et al). 1999;30:114-21
A specific inhibitor of apoptosis decreases tissue injury after intestinal ischemia-reperfusion in mice (Farber et al). 1999;30:752-60
Spinal cord ischemia after abdominal aortic operation: is it preventable? (Rosenthal). 1999;30:391-9
In vivo adenovirus-mediated gene transfer and expression in ischemic rabbit spinal cord (Sakurai et al). 1999;30:542-50

J

Jugular veins
Association of smooth muscle cell phenotypic modulation with extracellular matrix alterations during neointima formation in rabbit vein grafts (Zhang et al). 1999;30: 169-83
Oral low-molecular weight heparin and delivery agent prevents jugular venous thrombosis in the rat (Salartash et al). 1999;30:526-32

K

Kidney abnormalities
Endovascular repair of abdominal aortic aneurysms in patients with congenital renal vascular anomalies (Kaplan et al). 1999;30:407-16

L

Leg
Arterial reconstruction with delap leg veins for the treatment of mycotic aneurysms (Benjamin et al). 1999;30: 1004-15
Commentary regarding "Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial" (Turnipseed). 1999;30:370-1
The effect of graded compression elastic stockings on the lower leg venous system during daily activity (Buhs et al). 1999;30:830-5
In vivo femoropopliteal arterial wall compliance in subjects with and without lower limb vascular disease (Tai et al). 1999;30:936-45
Potential predictors of outcome in patients with tissue loss who undergo infrainguinal vein bypass grafting. (Seeger et al). 1999;30:427-35
Prediction of imminent amputation in patients with nonreconstructible leg ischemia by means of microcirculatory investigations (Ubbink et al). 1999;30:114-21
Leg ulcer
Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency (Marston et al). 1999;30:491-8
Length of stay
Epidural anesthesia reduces length of hospitalization after endoluminal abdominal aortic aneurysm repair (Cao et al). 1999;30:651-7
Letters
Letters. 1999;30:196-7, 385-7, 580-3, 767-72, 959-62, 1162-3-1164
Ligation
Photoplethysmography (PPG) and calf muscle pump function following subfascial endoscopic perforator ligation (SEPS) (Illig et al). 1999;30:1067-76
Liver
Evaluation of disinfection and sterilization of reusable angioscopes with the duck hepatitis B model (Chaufour et al). 1999;30:277-82
Lymphocele
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)
Lymphocyte transformation
Leukocyte activation in patients with venous insufficiency (Takase et al). 1999;30:148-56

M

Macrophages
Macrophage accumulation within the cap of carotid atherosclerotic plaques is associated with the onset of cerebral ischemic events (Husain et al). 1999;30:269-76
May-Thurner syndrome
May-Thurner syndrome in an adolescent: persistence despite operative management (Simon et al). 1999;30:950-3 (Case rep.)
Mesenteric arteries
Developing a discriminant noninvasive test for early mesenteric ischemia: measuring the basic rhythms of life (Chaikof). 1999;30:367-9
Noninvasive detection of ischemic bowel (Seidel et al). 1999;30:309-19
Mesenteric vascular occlusion
Isolated inferior mesenteric artery revascularization for chronic visceral ischemia (Schneider et al). 1999;30:51-8
Mesenteric veins
Mesenteric and portal vein thrombosis in a young patient with protein S deficiency treated with urokinase via the superior mesenteric artery (Ludwig et al). 1999;30:551-4 (Case rep.)
Microcirculation
Commentary regarding "Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial" (Turnipseed). 1999;30:370-1
Cytokines contribute to early hepatic parenchymal injury and microvascular dysfunction after bilateral hindlimb ischemia (Lawlor et al). 1999;30:533-41
Diabetes and peripheral vascular disease (Akbari and LoGerfo). 1999;30:373-84
Minimally invasive surgery
Minimal incision abdominal aortic aneurysm repair (Cerveira et al). 1999;30:977-84
Modeling, economic
EuroQol values for economic modeling quality of life after infrainguinal bypass grafting surgery: a rectification (Busschbach et al). 1999;30:1162-3 (Letter)
Monitoring, iintraoperative
Comment regarding "Intraoperative stenting of the internal carotid artery after successful eversion endarterectomy" (Beebe et al). 1999;30:372
Monitoring, intraoperative
Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy (Melissano et al). 1999;30:355-6 (Case rep.)
A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999;30:301-8
Monocyte chemoattractant protein-1
Monocyte chemotactic protein-1 (MCP-1) accelerates the organization and resolution of venous thrombi (Humphries et al). 1999;30:894-900
Monocytes
Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation (Powell et al). 1999;30:844-53
Muscle, skeletal
Photoplethysmography (PPG) and calf muscle pump function following subfascial endoscopic perforator ligation (SEPS) (Illig et al). 1999;30:1067-76

Muscle, smooth, vascular
Association of smooth muscle cell phenotypic modulation with extracellular matrix alterations during neointima formation in rabbit vein grafts (Zhang et al). 1999;30:169-83
Muscle cells, smooth
Folic acid inhibits homocysteine-induced proliferation of human arterial smooth muscle cells (Carmody et al). 1999;30:1121-8
Muscle cramping
Superficial femoral artery branch avulsion after severe muscle cramping (Woloson and Littooy). 1999;30:954-6 (Case rep.)
Myocardial ischemia
Locoregional versus general anesthesia in carotid surgery: is there an impact on perioperative myocardial ischemia? Results of a prospective monocentric randomized trial (Sbarigia et al). 1999;30:131-8

N

Neovascularization
Neovascularization during venous thrombosis organization: a preliminary study (Wakefield et al). 1999;30:885-93
Neovascularization, pathologic
Angiogenesis and the atherosclerotic carotid plaque: an association between symptomatology and plaque morphology (McCarthy et al). 1999;30:261-8
Nerve tissue protein S 100
The relationship between evoked potentials and measurements of S-100 protein in cerebrospinal fluid during and after thoracoabdominal aortic aneurysm surgery (van Dongen et al). 1999;30:293-300
Neuroprotective agents
The neuroprotective effects of intrathecal administration of the selective N-type calcium channel blocker ziconotide in a rat model of spinal ischemia (Burns et al). 1999;30:334-43
Neutrophil activation
Leukocyte activation in patients with venous insufficiency (Takase et al). 1999;30:148-56
Neutrophils
Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products (Lindsay et al). 1999;30:219-28
Nitirc oxide
Nitric oxide and the vascular surgeon (Makhoul et al). 1999;30:569-72
Nitric-oxide synthase
The contribution of inducible nitric oxide and cytomegalovirus to the stability of complex carotid plaque (Hunter et al). 1999;30:36-49; discussion 50
Nucleotides, cyclic
Cyclic nucleotides and production of prostanoids in human varicose veins (Nemcova et al). 1999;30:876-84

O

Occupational diseases
Raynaud's syndrome in workers who use vibrating pneumatic air knives (McLafferty et al). 1999;30:1-7
Outpatients
Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency (Marston et al). 1999;30:491-8
Oxidative stress
Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products (Lindsay et al). 1999;30:219-28

P

Paraplegia
Hyperbaric oxygenation treatment of acute paraplegia following resection of a thoraco-abdominal aortic aneurysm (Puttaswamy et al). 1999;30:1158-61
The relationship between evoked potentials and measurements of S-100 protein in cerebrospinal fluid during and after thoracoabdominal aortic aneurysm surgery (van Dongen et al). 1999;30:293-300
Patient education
Vascular surgery and the Internet: a poor source of patient-oriented information (Soot et al). 1999;30:84-91
Patient selection
Selection of patients for carotid endarterectomy (Golledge et al). 1999;30:122-30
peptides
The neuroprotective effects of intrathecal administration of the selective N-type calcium channel blocker ziconotide in a rat model of spinal ischemia (Burns et al). 1999;30:334-43
Periodicals
Disclosure of competition of interest (Johnston and Rutherford). 1999;30:200-2 (Editorial)
Peripheral vascular diseases
Carotid artery stenosis in patients with peripheral arterial disease: the SMART study (Simons et al). 1999;30:519-25
Diabetes and peripheral vascular disease (Akbari and LoGerfo). 1999;30:373-84
Impact of race on the treatment for peripheral arterial occlusvie disease (Huber et al). 1999;30:417-26
The progressive nature of peripheral arterial disease in young adults: a prospective analysis of white men referred to a vascular surgery service (Valentine et al). 1999;30:436-45
Phlebography
Venographic comparison of subcutaneous low-molecular weight heparin with oral anticoagulant therapy in the long-term treatment of deep venous thrombosis (Gonzalez-Fajardo et al). 1999;30:283-92
Photoplethysmography
Photoplethysmography (PPG) and calf muscle pump function following subfascial endoscopic perforator ligation (SEPS) (Illig et al). 1999;30:1067-76
Physician's role
Education and brotherhood (Jarrett). 1999;30:963-7
Platelets
Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation (Powell et al). 1999;30:844-53
Plethysmography, impedance
A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999;30:301-8
Polytetrafluorethylene
Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips (Dal Ponte et al). 1999;30:325-33
Comparative evaluation of externally supported Dacron and polytetrafluoroethylene prosthetic bypasses for femorofemoral and axillofemoral arterial reconstructions (Johnson and Lee). 1999;30:1077-83
Polytetrafluoroethylene
Hemostatic efficacy of fibrin sealant (human) on expanded poly-tetrafluoroethylene carotid patch angioplasty: a randomized clinical trial (Jackson et al). 1999;30:461-7

Popliteal artery
In vivo femoropopliteal arterial wall compliance in subjects with and without lower limb vascular disease (Tai et al). 1999;30:936-45
Popliteal artery entrapment syndrome: more common than previously recognized (Levien and Veller). 1999;30:587-98
Portal vein
Mesenteric and portal vein thrombosis in a young patient with protein S deficiency treated with urokinase via the superior mesenteric artery (Ludwig et al). 1999;30:551-4 (Case rep.)
Postoperative complications
The relationship between evoked potentials and measurements of S-100 protein in cerebrospinal fluid during and after thoracoabdominal aortic aneurysm surgery (van Dongen et al). 1999;30:293-300
Reoperation for carotid stenosis is as safe as primary carotid endarterectomy (Hill et al). 1999;30:26-35
Stent attachment site-related endoleakage after stent graft treatment: an in vitro study of the effects of graft size, stent type, and atherosclerotic wall changes (Schurink et al). 1999;30:658-67
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)
Prophylaxis
Prophylactic inferior vena cava filters in trauma patients at high risk: follow-up examination and risk/benefit assessment (Langan et al). 1999;30:484-90
Prostaglandins
Cyclic nucleotides and production of prostanoids in human varicose veins (Nemcova et al). 1999;30:876-84
Prostanoids; *see* Prostaglandinss
Prosthesis-related infections
Improved results with conventional management of infrarenal aortic infection (Yeager et al). 1999;30:76-83
In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998) (Hayes et al). 1999;30:92-8
Protein S deficiency
Mesenteric and portal vein thrombosis in a young patient with protein S deficiency treated with urokinase via the superior mesenteric artery (Ludwig et al). 1999;30:551-4 (Case rep.)
Publishing
Disclosure of competition of interest (Johnston and Rutherford). 1999;30:200-2 (Editorial)
Pulmonary embolism
Unexpectedly high rate of pulmonary embolism in patients with superficial thrombophlebitis of the thigh (Verlato et al). 1999;30:1113-5

Q

Quality of life
EuroQol values for economic modeling quality of life after infrainguinal bypass grafting surgery: a rectification (Busschbach et al). 1999;30:1162-3 (Letter)
Evaluating and improving health-related quality of life in patients with varicose veins (Smith et al). 1999;30:710-9

R

Radiotherapy
Accelerated carotid artery disease after high-dose head and neck radiotherapy: is there a role for routine carotid duplex surveillance? (Carmody et al). 1999;30:1045-51
Raynaud's disease
Raynaud's syndrome in workers who use vibrating pneumatic air knives (McLafferty et al). 1999;30:1-7
Renal artery
Regarding "Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization" (Lorenzi) (Letter); (Greenberg) (Reply). 1999;30:771-2
Surgery after failed percutaneous renal artery angioplasty (Wong et al). 1999;30:468-83
Reoperation
Immediate reoperation for perioperative stroke after 2250 carotid endarterectomies: differences between intraoperative and early postoperative stroke (Radak et al). 1999;30:245-51
Mid-term results of a second generation bifurcated endovascular graft for abdominal aortic aneurysm repair: the French Vanguard trial (Becquemin et al). 1999;30:209-18
Reoperation for carotid stenosis is as safe as primary carotid endarterectomy (Hill et al). 1999;30:26-35
Reperfusion
A specific inhibitor of apoptosis decreases tissue injury after intestinal ischemia-reperfusion in mice (Farber et al). 1999;30:752-60
Reperfusion injury
Ruptured abdominal aortic aneurysm, a "two-hit" ischemia/reperfusion injury: evidence from an analysis of oxidative products (Lindsay et al). 1999;30:219-28
Retroperitoneal fibrosis
Inflammatory abdominal aortic aneurysm: a postoperative course of retroperitoneal fibrosis (von Fritschen et al). 1999;30:1090-8
Retroperitoneal neoplasms
In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava (Ting et al). 1999;30:363-6 (Case rep.)
Revascularizatioin
Regarding "Can duplex scan arterial mapping replace contrast arteriography as the test of choice before infrainguinal revascularization?" (Ligush) (Letter); (Wain) (Reply). 1999;30:770
Review literature
Diabetes and peripheral vascular disease (Akbari and LoGerfo). 1999;30:373-84
Rifampin
In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998) (Hayes et al). 1999;30:92-8
Risk
Perioperative risk and late outcome of nonelective carotid endarterectomy (Tretter et al). 1999;30:618-31
Risk assessment
Combination of a clinical risk assessment score and rapid whole blood D-dimer testing in the diagnosis of deep vein thrombosis in symptomatic patients (Lennox et al). 1999;30:794-804
Prophylactic inferior vena cava filters in trauma patients at high risk: follow-up examination and risk/benefit assessment (Langan et al). 1999;30:484-90
Risk factors
Negative genetic risk factor for abdominal aortic aneurysm: ELK-DQ3, a Japanese study (Hirose and Tilson). 1999; 30:959 (Letter)
Rosiline dyes
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)

Rupture, spontaneous
Angiogenesis and the atherosclerotic carotid plaque: an association between symptomatology and plaque morphology (McCarthy et al). 1999;30:261-8

S

Saphenous vein
The correlation of early flow disturbances with the development of infrainguinal graft stenosis: a 10-year study of 341 autogenous vein grafts (Ihnat et al). 1999;30:8-15
Do residual arteriovenous fistulae after in situ saphenous vein bypass grafting influence patency? (Lundell and Nyborg). 1999;30:99-10
Effect of outflow level and maximum graft diameter on the velocity parameters of reversed vein bypass grafts (Treiman et al). 1999;30:16-25
Potential predictors of outcome in patients with tissue loss who undergo infrainguinal vein bypass grafting. (Seeger et al). 1999;30:427-35
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)
Sensation disorders
Sensory impairment: a feature of chronic venous insufficiency (Padberg et al). 1999;30:836-43
Sensory impairment; *see* Sensation disorders
Skin
Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor-β_1 gene expression and protein production (Pappas et al). 1999;30:1129-45
Microcirculatory investigations to determine the effect of spinal cord stimulation for critical leg ischemia: the Dutch multicenter randomized controlled trial (Ubbink et al). 1999;30:236-44
Prediction of imminent amputation in patients with nonreconstructible leg ischemia by means of microcirculatory investigations (Ubbink et al). 1999;30:114-21
Smoking
The association between cigarette smoking and abdominal aortic aneurysms (Wilmink et al). 1999;30:1099-105
Soft tissue injuries
A specific inhibitor of apoptosis decreases tissue injury after intestinal ischemia-reperfusion in mice (Farber et al). 1999;30:752-60
Spinal cord
The neuroprotective effects of intrathecal administration of the selective N-type calcium channel blocker ziconotide in a rat model of spinal ischemia (Burns et al). 1999;30:334-43
Spinal cord ischemia after abdominal aortic operation: is it preventable? (Rosenthal). 1999;30:391-9
In vivo adenovirus-mediated gene transfer and expression in ischemic rabbit spinal cord (Sakurai et al). 1999;30:542-50
Splenic artery
Splenic artery aneurysms: methods of laparoscopic repair (Arca et al). 1999;30:184-8 (Case rep.)
Staphylococcal infections
In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998) (Hayes et al). 1999;30:92-8
Stents
Comment regarding "Intraoperative stenting of the internal carotid artery after successful eversion endarterectomy" (Beebe et al). 1999;30:372
Efficacy of a filter device in the prevention of embolic events during carotid angioplasty and stenting: an ex vivo analysis (Ohki et al). 1999;30:1034-44
Intraoperative stenting of the internal carotid artery after unsuccessful eversion endarterectomy (Melissano et al). 1999;30:355-6 (Case rep.)
Midterm results of endovascular stented grafts for the treatment of isolated iliac artery aneurysms (Parsons et al). 1999;30:915-21
Regarding "AneuRx stent graft versus open surgical repair of abdominal aortic aneurysms: multicenter prospective clinical trial" (Adiseshiah) (Letter); (El-Sabrout and Duncan) (Reply); (Lawrence) (Reply); (Zairns) (Reply). 1999;30:580-4
Regarding "Occluding aortic endoluminal stent graft combined with extra-anatomic axillofemoral bypass as alternative management of abdominal aortic aneurysms for patients at high risk with complex anatomic features: a preliminary report" (Walker) (Letter); (Minh) (Reply). 1999;30:386
Stent attachment site-related endoleakage after stent graft treatment: an in vitro study of the effects of graft size, stent type, and atherosclerotic wall changes (Schurink et al). 1999;30:658-67
The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta (Brittenden et al). 1999;30:946-9 (Case rep.)
Sterilization
Evaluation of disinfection and sterilization of reusable angioscopes with the duck hepatitis B model (Chaufour et al). 1999;30:277-82
Stress, mechanical
Drag reducing polymers may decrease atherosclerosis by increasing shear in areas normally exposed to low shear stress (Sawchuk et al). 1999;30:761-4
Stroke; *see* Cerebrovascular disorders
Surgical procedures, endoscopic
Redone endoscopic perforator surgery: feasibility and failure analysis (Kolvenbach et al). 1999;30:720-6
Surgical procedures, laparoscopic
Splenic artery aneurysms: methods of laparoscopic repair (Arca et al). 1999;30:184-8 (Case rep.)
Surgical wound infection
Improved results with conventional management of infrarenal aortic infection (Yeager et al). 1999;30:76-83

T

Testicular neoplasms
In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava (Ting et al). 1999;30:363-6 (Case rep.)
Thigh
Unexpectedly high rate of pulmonary embolism in patients with superficial thrombophlebitis of the thigh (Verlato et al). 1999;30:1113-5
Thrombin
A model of in vivo human venous thrombosis that confirms changes in the release of specific soluble cell adhesion molecules in experimental venous thrombogenesis (Quarmby et al). 1999;30:139-47
Thrombin injection versus compression of femoral artery (Taylor et al). 1999;30:1052-9
Thrombophlebitis
Combination of a clinical risk assessment score and rapid whole blood D-dimer testing in the diagnosis of deep vein

thrombosis in symptomatic patients (Lennox et al). 1999;30:794-804
Deep vein thrombosis outcome and the level of oral anticoagulation therapy (Caprini et al). 1999;30:805-12
Deep venous thrombosis after percutaneous insertion of vena caval filters (Blebea et al). 1999;30:821-9
The influence of oral anticoagulation therapy on deep vein thrombosis rates four weeks after total hip replacement (Caprini et al). 1999;30:813-20
Monocyte chemotactic protein-1 (MCP-1) accelerates the organization and resolution of venous thrombi (Humphries et al). 1999;30:894-900
Neovascularization during venous thrombosis organization: a preliminary study (Wakefield et al). 1999;30:885-93
Patterns and distribution of isolated calf deep vein thrombosis (Labropoulos et al). 1999;30:787-93
Unexpectedly high rate of pulmonary embolism in patients with superficial thrombophlebitis of the thigh (Verlato et al). 1999;30:1113-5
The value of rapid D-dimer testing combined with structured clinical evaluation for the diagnosis of deep vein thrombosis (Aschwanden et al). 1999;30:929-35
Venographic comparison of subcutaneous low-molecular weight heparin with oral anticoagulant therapy in the long-term treatment of deep venous thrombosis (Gonzalez-Fajardo et al). 1999;30:283-92
A volumetric index for the quantification of deep venous thrombosis (Ouriel et al). 1999;30:1060-6

Thrombosis
Endovascular versus surgical treatment for thrombosed hemodialysis grafts: a prospective, randomized study (Dougherty et al). 1999;30:1016-23
Mesenteric and portal vein thrombosis in a young patient with protein S deficiency treated with urokinase via the superior mesenteric artery (Ludwig et al). 1999;30:551-4 (Case rep.)
Mural aortic thrombi—an important cause of peripheral embolization (Reber et al). 1999;30:1084-9
Oral low-molecular weight heparin and delivery agent prevents jugular venous thrombosis in the rat (Salartash et al). 1999;30:526-32
Regarding "Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization" (Lorenzi) (Letter); (Greenberg) (Reply). 1999;30:771-2

Time factors
Immediate reoperation for perioperative stroke after 2250 carotid endarterectomies: differences between intraoperative and early postoperative stroke (Radak et al). 1999;30:245-51
Mobile carotid plaques: the natural history of two asymptomatic and non-operated cases (Szendro et al). 1999;30:357-62 (Case rep.)

Tomography, x-ray computed
Regarding "The value of late computed tomographic scanning in identification of vascular abnormalities after abdominal aortic aneurysm repair" (Mushtaq et al) (Letter); (Kalman and Johnston) (Reply). 1999;30:961

Total hip replacement; *see* Arthroplasty, replacement, hip

Transforming growth factor beta
Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor-β_1 gene expression and protein production (Pappas et al). 1999;30:1129-45

Treatment outcome
Community and hospital outcome from ruptured abdominal aortic aneurysm within the catchment area of a regional vascular surgical service (Adam et al). 1999;30:922-8
Endovascular, transperitoneal, and retroperitoneal abdominal aortic aneurysm repair: results and costs (Quiñones-Baldrich et al). 1999;30:59-67
Perioperative risk and late outcome of nonelective carotid endarterectomy (Tretter et al). 1999;30:618-31
Potential predictors of outcome in patients with tissue loss who undergo infrainguinal vein bypass grafting. (Seeger et al). 1999;30:427-35
Regarding "Problems with the dissemination of up-to-date information on the results of endograft repair for abdominal aortic aneurysm" (Harris and Buth) (Letter); (Rutherford) (Reply). 1999;30:767-9

Tuberculosis
Tuberculous pseudoaneurysm of the femoral artery: a case report (Kao et al). 1999;30:561-4 (Case rep.)

Tunica intima
Association of smooth muscle cell phenotypic modulation with extracellular matrix alterations during neointima formation in rabbit vein grafts (Zhang et al). 1999;30:169-83

U

Ulcer
The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta (Brittenden et al). 1999;30:946-9 (Case rep.)

Ultrasonography
Lack of precision of duplex scan velocity measurements can falsely elevate rates of progression of carotid stenosis (Archie). 1999;30:385-6 (Letter)

Ultrasonography, Doppler, color
Power Doppler ultrasound scan imaging of the level of red blood cell aggregation: an in vitro study (Allard et al). 1999;30:157-68

Ultrasonography, Doppler, duplex
Management of dialysis access-associated steal syndrome: use of intraoperative duplex ultrasound scanning for optimal flow reduction (Shemesh et al). 1999;30:193-5 (Case rep.)
Regarding "Assessment of ocular perfusion after carotid endarterectomy with color-flow duplex scanning" (Gee) (Letter); (Flinn) (Reply). 1999;30:960

Ultrasonography, Doppler, transcranial
Decreased transcranial Doppler carbon dioxide reactivity is associated with disordered cerebral metabolism in patients with internal carotid artery stenosis (Visser et al). 1999;30:252-60

Ultrasound, Doppler, duplex
A rational algorithm for duplex scan surveillance after carotid endarterectomy (Roth et al). 1999;30:453-60
Regarding "Can duplex scan arterial mapping replace contrast arteriography as the test of choice before infrainguinal revascularization?" (Ligush) (Letter); (Wain) (Reply). 1999;30:770

Umbilical arteries
Regarding "Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization" (Lorenzi) (Letter); (Greenberg) (Reply). 1999;30:771-2

Ureteral diseases
Endovascular management of ureteroarterial fistula (Feuer et al). 1999;30:1146-9

Urinary fistula
Endovascular management of ureteroarterial fistula (Feuer et al). 1999;30:1146-9
Urokinase
Mesenteric and portal vein thrombosis in a young patient with protein S deficiency treated with urokinase via the superior mesenteric artery (Ludwig et al). 1999;30:551-4 (Case rep.)
Ouriel K. Urokinase and the US Food and Drug Administration. 1999;30:957-8 (Case rep.)
U.S. Food and Drug Administration
Ouriel K. Urokinase and the US Food and Drug Administration. 1999;30:957-8 (Case rep.)

V

Varicose ulcer
The proliferative capacity of neonatal skin fibroblasts is reduced after exposure to venous ulcer wound fluid: a potential mechanism for senescence in venous ulcers (Mendez et al). 1999;30:734-43
Varicose veins
Cyclic nucleotides and production of prostanoids in human varicose veins (Nemcova et al). 1999;30:876-84
Diameter-reflux relationship in perforating veins of patients with varicose veins (Sandri et al). 1999;30:867-75
Evaluating and improving health-related quality of life in patients with varicose veins (Smith et al). 1999;30:710-9
Vascular disease
In vivo femoropopliteal arterial wall compliance in subjects with and without lower limb vascular disease (Tai et al). 1999;30:936-45
Vascular patency
A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999; 30:301-8
Vascular resistance
A new method of intraoperative hydraulic impedance measurement provides valuable prognostic information about infrainguinal graft patency (Heise et al). 1999;30:301-8
Vascular surgey
Costing vascular surgery: a review of current reporting practice (Shackley et al). 1999;30:668-78
Vascular surgical procedures
Vascular surgery and the Internet: a poor source of patient-oriented information (Soot et al). 1999;30:84-91
Veins
Arterial reconstruction with delap leg veins for the treatment of mycotic aneurysms (Benjamin et al). 1999;30:1004-15
A multicenter, phase I evaluation of cryopreserved venous valve allografts for the treatment of chronic deep venous insufficiency (Dalsing et al). 1999;30:854-66
Thigh isosulfan blue injection in the treatment of postoperative lymphatic complications (Blebea and Choudry). 1999;30:350-4 (Tech. notes)
Vena cava filters
Deep venous thrombosis after percutaneous insertion of vena caval filters (Blebea et al). 1999;30:821-9
Prophylactic inferior vena cava filters in trauma patients at high risk: follow-up examination and risk/benefit assessment (Langan et al). 1999;30:484-90
Venal cava filters
Recommended reporting standards for vena caval filter placement and patient follow-up (Vena Caval Filter Consensus Conference). 1999;30:573-9
Venous insufficiency
Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation (Powell et al). 1999;30:844-53
Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor-β_1 gene expression and protein production (Pappas et al). 1999;30:1129-45
Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency (Marston et al). 1999;30:491-8
Leukocyte activation in patients with venous insufficiency (Takase et al). 1999;30:148-56
A multicenter, phase I evaluation of cryopreserved venous valve allografts for the treatment of chronic deep venous insufficiency (Dalsing et al). 1999;30:854-66
Sensory impairment: a feature of chronic venous insufficiency (Padberg et al). 1999;30:836-43
Venous thrombosis
A model of in vivo human venous thrombosis that confirms changes in the release of specific soluble cell adhesion molecules in experimental venous thrombogenesis (Quarmby et al). 1999;30:139-47
Venous thrombosis; *see* Thrombophlebitis
Venous ulcer; *see* Varicose ulcer
Vertebral artery
Suboccipital approach to the distal vertebral artery (Berguer). 1999;30:344-9 (Tech. notes)
Vibration
Raynaud's syndrome in workers who use vibrating pneumatic air knives (McLafferty et al). 1999;30:1-7
Videotape recording
Video-assisted replacement or bypass grafting of the descending thoracic aorta with a new sutureless vascular prosthesis: an experimental study (Zegdi et al). 1999;30:320-4

W

Wound healing
Healing rates and cost efficacy of outpatient compression treatment for leg ulcers associated with venous insufficiency (Marston et al). 1999;30:491-8
Wounds and injuries
Prophylactic inferior vena cava filters in trauma patients at high risk: follow-up examination and risk/benefit assessment (Langan et al). 1999;30:484-90